



PUBLIC ONLINE AUCTION: MANNINGTON. FORMER MANNINGTON MILLS

Start Date: 11:00 AM | Thursday - February 18

End Date: 11:00 AM | Thursday - February 25

Preview: 8AM to 4PM | Wednesday - February 24

Location: 785 Port Of Epes Hwy, Epes, AL 35460



**2005 COE 72 VERT-A-JET STEAM
HEATED VENEER DRYER**



**COE 277 56" VENEER LATHE W/2010 SMART
SCAN UPGRADE**



2002 RAUTE 6' ROTARY CLIPPER



**2002 CTE AUTOMATIC 6-BIN
DRY VENEER STACKER**



2005 CTE SEMI-AUTO HI-OUTPUT LAYUP LINE



**2005 PROGRESSIVE SYSTEMS INC.
RF-40 2-SAW SIZING LINE**



**2005 BURKLE OPTIMA DOUBLE
10-OPENING HOT OIL PRESS**



**2002 VENTEK GS2000 DRY END
VENEER SCANNER**

>>>>> ONLINE ONLY AUCTION <<<<<

1.800.426.3008 - 425.486.1246 - MURPHYAUCTION.COM

NO MINIMUMS - NO RESERVES



VENTEK NV2000 8' GREEN VENEER LASER DEFECT SCANNER



BLOCK SAW SYSTEM



HYDRAULIC OPERATED 3-STEP FEEDER



(3) VENTEK SEQUOIA II DRY VENEER MOISTURE DETECTORS



GRECON TWIN DMR 2000 VENEER THICKNESS STATION



2002 RAUTE WOOD 4-BIN GREEN VENEER STACKER



2005 KOCH 160Y 63" CURTAIN COATER

VENEER LATHE:

COE 277 VENEER LATHE, 56" MAX LENGTH, 5-1/2" & 3-1/2" RETRACTABLE CHUCKS, 2003 COE 1380 CORE DRIVE, RELIANCE 200 HP/1,150-2,000 RPM/550V/C3613 ATZ FRAME LATHE DRIVE MOTOR, COE 1484 ROLLER NOSE BAR, COE C4S BACK UP ROLL W/2008 DELTA/RAUTE BACK UP ROLL & PITCH ANGLE UPGRADE, 2008 RAUTE CARRIAGE PLANETARY ROLLER SCREW CONVERSION, S/N: 49010206, 58" KNIFE BAR LENGTH, M262 STYLE PRESS BAR, COE 784 PENDULUM CHARGER W/2010 RAUTE X-Y SMARTSCAN & CONTROL SYSTEM UPGRADE, COE HYDRAULIC UNIT W/(3) 30 HP, (5) 25 HP & (1) 10 HP MOTOR, HAWE HYDRAULIC UNIT W/(1) 60 HP & (2) 50 HP MOTORS, AVTRON ADD VANTAGE 32 360 AMP ADVANCED DIGITAL DC LATHE DRIVE, CAB & CONTROLS, SPARE SPINDLES, PARTS & KNIVES, S/N: 62354

LATHE INFEED & OUTFEED EQUIPMENT:

HYDRAULIC OPERATED 3-STEP FEEDER, 16' 2-STRAND X CHAIN INFEED TRANSFER W/DRIVE, APPROX 80' 6" X 11-1/2" BOX CHAIN CONVEYOR W/3-ARM SWEEP & DRIVE, CUSTOM BUILT HYDRAULIC OPERATED LOG SPLITTER, CLEAN OUT CONVEYORS

BLOCK SAW:

BLOCK SAW SYSTEM W/(3) 84" INSERT TOOTH SAWS W/TOSHIBA 100 HP/880 RPM MOTORS, HYDRAULIC OPERATED 5-ARM LOG LOADER, TEMPOSONIC POSITIONED FENCE, (8) 30" HOURGLASS ROLLS W/DRIVE, 40' OUTFEED ROLLCASE W/(26) 30" ROLLS, 2-ARM KICKER & DRIVE, APPROX 16' 6-STRAND JACK LADDER TRANSFER W/4-ARM LS&L W/HYDRAULIC DRIVE MOTOR, 36' 4-STRAND H-CHAIN INFEED TRANSFER W/DRIVE

VENEER TRAY:

APPROX 100' 3-DECK VENEER TRAYS W/8"X275' TRASH BELTS, YASKAWA 30 HP/1,170 RPM/460V/326TC FRAME TRAY DRIVE MOTORS W/YASKAWA GPD 515/G5 DRIVES

VENEER CLIPPER:

2002 RAUTE 6' ROTARY CLIPPER, 500 FPM, YASKAWA 30 HP/1,170 RPM MOTOR, INFEED HOLD DOWNS, (2) 3"X12' BELTS, 30 HP HYDRAULIC UNIT, 2,000-2,800 PSI, S/N: 5289045/V03-0468

VENEER SCANNERS-MOISTURE-THICKNESS-BOND ANALYZER:

2002 VENTEK GS2000 DRY END VENEER SCANNER W/2-SECTION 36" 4-STRAND X 4" BELT FEED THRU, 7-1/2 HP SCANNER BLOWER, 58"X6' CANTED EVEN END ROLLCASE

VENTEK NV2000 8' GREEN END VENEER LASER DEFECT SCANNER

(3) VENTEK SEQUOIA II DRY VENEER MOISTURE DETECTORS, (1) AT PANEL SIZERS, (1) AT EQUALIZING LINE, (1) AT 2005 DRYER

GRECON TWIN DMR 2000 VENEER THICKNESS STATION AT SANDERS, S/N: 142

GRECON SINGLE DMR 2000 VENEER THICKNESS STATION AT LAYUP LINE

GRECON TWIN UPU 2000 VENEER BOND ANALYZER, 8-CHANNEL W/INK STATION AT SANDERS, S/N: 174

VENEER STACKERS:

2002 CTC AUTOMATIC 6-BIN DRY VENEER STACKER W/(1) RANDOM WIDTH BIN, 3-STRAND VACUUM LIFT FEED BELT W/(7) VACUUM FANS, (6) 6,000 LB 60"X96" SCISSOR LIFTS W/POWERED ROLLS, ACCUMULATORS, SIDE TAMPERS, KNOCK OFFS, POWERED OUTFEED JUMP ROLLS TO 38' 2-STRAND 81X OUTFEED TRANSFER TO 8' 2-STRAND 81X FINAL TRANSFER, ALLEN BRADLEY 5000 SERIES PLC W/CONTROL NET, (7) DC INFEED & OUTFEED MODULES, (7) ABB 355 7-1/2 HP VFD'S, (3) ALLEN BRADLEY POWERFLEX PF70 10 HP VFD'S (MISSING PLC)

2002 RAUTE WOOD 4-BIN GREEN VENEER STACKER W/FEED THRU VACUUM BELT W/(4) SERIES 20 GI FANS, (1) 60"X45" & (3) 60"X75" SCISSOR LIFTS TO 60"X110" OUTFEED GRAVITY ROLLS, SHEET DIVERTER W/(2) SERIES 20 GI FANS & INFEED BELTS

VENEER LAYUP LINE-GLUE COATER:

2005 CTC SEMI-AUTO HI-OUTPUT LAYUP LINE, 53-1/2"-56" WIDTH, 45"-54" HEIGHT, INFEED TRANSFERS & ROLLCASES TO SCISSOR LIFTS W/VACUUM LIFT BELTS W/FANS, TRANSFER BELTS, AIR FLOW STATION, (3) 15 HP & (2) 20 HP BOTTOM BELT FANS, CTC HYDRAULIC UNIT W/(4) 60 HP MOTORS & (3) PUMPS, AIR COOLED, CH EATON 9-SECTION MCC W/(36) SWITCHES, CABINETS W/(1) ALLEN BRADLEY POWER FACTOR 10 HP & (10) 7-1/2 HP VFD'S (MISSING PLC'S), CABINETS W/(10) ABB ACS355 VFD'S, TOUCHSCREEN

2005 KOCH 160Y 63" CURTAIN COATER W/COLD SHOT MODEL ACWS-060E CHILLER, 304 SS KNIVES, 56"X84" CANTED EVEN END ROLLCASE, FEED THRU BELTS, SWECO 40" VIBRATORY SCREEN

NO MINIMUMS - NO RESERVES



**2005 TAGLIABUE EUROSAND 1111SP
64" TOP HEAD SANDER**




2005 CTC BOARD WICKET COOLER



2011 PUTTY PATCH LINE



**2005 TAGLIABUE EUROSAND 1111SP
64" BOTTOM HEAD SANDER**



CTC DUAL STATION PANEL UNLOADER



**2005 ALLEN BRADLEY
4-SECTION 2-SIDED CABINETS**



**1991 COE M72/92 VERT-A-JET
STEAM HEATED VENEER DRYER**

VENEER PRESS LINE:

2005 BURKLE OPTIMA DOUBLE 10-OPENING HOT OIL PRESS, 400 PANELS PER HR, MYLAR COVERED 63"X127" POWERED OPENINGS, 120 MM OPENING HEIGHT, (2) 10-OPENING CHAMBERS W/(16) 200 MM CYLINDERS, (1) SPARE, 717 TONS OF PRESSURE, POWERED 10-OPENING LOADER & UNLOADER W/MOTORIZED ELEVATORS, POWERED 3-OPENING PRE-LOADER, 100 HP HYDRAULIC UNIT W/(2) EATON VICKERS PUMPS, VALVE BLOCK, AIR COOLED, HEIZA TYPE 2XSK-H-TO HOT OIL EXCHANGER, SPARE HYDRAULIC MOTOR, PARTS, (27) ALLEN BRADLEY POWER FACTOR 7-1/2 HP VFD'S, (4) SEW MOVITRAC DRIVES, S/N: 108200030

EQUIPMENT TO INCLUDE INFEED BELTS FROM LAYUP LINE, (2) MANUAL LAYUP STATIONS W/IN & OUT BELTS, REMOTE FEED STATION W/HYDRAULIC DRIVEN ROLLCASE TO SCISSOR LIFT W/HYDRAULIC DRIVEN ROLLS TO SCISSOR LIFT TO VACUUM BELT W/FAN

PANEL PUTTY & COOLING LINES:

2011 PUTTY PATCH LINE W/CTC BELT FEEDER (FROM PRESS) TO (6) 55"X10' POWERED ROLLCASES W/BELTS, CORNER BELT TRANSFER W/(4) PATTERSON FANS TO (6) APPROX 55-1/2"X10' POWERED ROLLCASES W/(2) CORNER UNITS TO (2) 55"X10' POWERED ROLLCASES (TO DRYING RACK), (4) AERO PUMPS, CENTRIC PNEUMATIC BUCKET PUMP, GRACO C36-2000 CHECK MATE PNEUMATIC PUMP, (24) ALLEN BRADLEY PF-4, 2 HP VFD'S
2005 CTC BOARD WICKET COOLER W/(130) OPENINGS, APPROX 9'W X 50'L, (2) APPROX 12' 4-STRAND X 4" BELT INFEEDS & OUTFEEDS TO SIZING LINES

PANEL SIZING SAW LINE:

2005 PROGRESSIVE SYSTEMS INC. RF-40 2-SAW SIZING LINE, 45"-56" CAPACITY 1ST PASS PANEL SIZING SAW W/(2) BALDOR 20 HP/3,450 RPM MOTORS, 14" SAWS, 63" POWERED IN & OUT ROLLS, (42) PNEUMATIC TOP PRESS ROLLS, 63"X8' CANTED EVEN END ROLLS, (2) 63"X10' INFEED ROLLCASES, 8'X12" 2-STRAND BELT TO 2ND PASS TRANSVERSE PANEL SAW W/(2) BALDOR 20 HP/3,450 RPM MOTORS, 14" SAWS, LINK CHAIN & BELT FEED THRU'S, (28) PNEUMATIC OPERATED TOP PRESS ROLLS, JUMP ROLLS, 6'X4" 2-STRAND OUTFEED BELT W/BRUSH TO GRECON DMR2000 SINGLE TRACK THICKNESS GAUGE, 6'X4" 2-STRAND OUTFEED BELT, (2) 48"X8' RE-ENTRY ROLLCASES, 60 HP HYDRAULIC UNIT, CONTROLS & ELECTRICS, S/N: 143

PANEL SIZING SANDER LINE:

2005 TAGLIABUE EUROSAND 1111SP 64" TOP HEAD SANDER W/(3) STEEL ROLLS, STEEL PLATEN, BRUSH, 60 KW MOTORS, 66" FEED THRU BELT W/DRIVE, BELT TRACKING, PNEUMATIC TENSIONING, SANDING SHOES, SWING ARM CONTROLS, INFEED TRANSFER, ROLLS & BELT

2005 TAGLIABUE EUROSAND 1111SP 64" BOTTOM HEAD SANDER, (1) STEEL ROLL, (1) RUBBER ROLL, (1) STEEL PLATEN, 60 KW MOTORS, 66" FEED THRU BELT W/DRIVE, BELT TRACKING, PNEUMATIC TENSIONING, SANDING SHOES, SWING ARM CONTROLS, 63"X6' INFEED BELT, SPARE RUBBER COATED & STEEL DRUMS, (2) CONTINUOUS BELTS, NUMEROUS SANDING BELTS

SANDING LINE OUTFEED TO INCLUDE: GRECON TWIN MR2000 THICKNESS GAUGE W/63"X6' CANTED EVEN END ROLLCASE (FROM SANDERS), GRECON TWIN UPU2000 BOND ANALYZER W/INK STATION, (8) CHANNELS W/12"X4" 2-STRAND FEED THRU TRANSFER (TO CTC UNLOADER), S/N: 142

CTC DUAL STATION PANEL UNLOADER W/63"X6' EVEN END ROLLCASE, CROSS TOP BELT TRANSFER TO (2) 36"X72" HYDRAULIC OPERATED SCISSOR LIFTS W/POWERED ROLLS TO POWERED OUTFEED ROLLCASES

2005 ALLEN BRADLEY 4-SECTION 2-SIDED CABINETS W/(5) 25 HP, (1) 15 HP & (23) 7-1/2 HP ALLEN BRADLEY POWERFLEX 70 VFD'S (MISSING PLC'S), CH FREEDOM 2100 5-SECTION MCC W/(13) SWITCHES, SIEMENS 1-SECTION 800 AMP MAIN W/(14) SWITCHES

VENEER DRYERS:

2005 COE 72 VERT-A-JET STEAM HEATED VENEER DRYER, 16' 12-SECTION, 4-TRAYS, 192" ROLLS, (2) FORCED DRAFT COOLING SECTIONS W/25 HP MOTORS, 25 HP TRAY DRIVE MOTOR, (12) 30 HP SECTION FAN MOTORS, COE 86 16' AUTOMATIC HYDRAULIC OPERATED 4-TRAY FEEDER, 20 CYCLES PER MIN, 20 HP HYDRAULIC UNIT, 21' 2-STRAND 81X ELEVATOR TRANSFER, 20' 3-STRAND 81X PRE-FEED TRANSFER, COE 972H-H 4-TRAY UNLOADER W/10 HP HYDRAULIC UNIT, 17' 4-STRAND APRON BELT TO 21' 3-STRAND C155D TRANSFER TO VENTEK MOISTURE METERING STATION W/17"X4" 2-STRAND POWERED FEED THRU TRANSFER TO 36"X42' OUTFEED BELT, EATON CUTLER HAMMER 9-SECTION MCC W/(34) SWITCHES, 30 HP, (3)10 HP & 7-1/2 HP ALLEN BRADLEY POWERFLEX VFD'S (MISSING PLC'S)

NO MINIMUMS - NO RESERVES



SWEED RL-TC PANEL TURNER



CTC VENEER MATCHING LINE



**(2) RAUTE C1400/C1100
VENEER COMPOSER LINES**



SWEED VENCO 8' VENEER BANDSAW



**2006 BROOKS KLOCKNER BK-DH400X1000L-8W
VENEER DRUM CHIPPER**



**WILLIAMS PATENT CRUSHER & PULVERIZER
C-32 NO-KNIFE HOG MILL**



**2000 PPC H1212-2S
ELECTROSTATIC PRECIPITATOR**

1991 COE M72/92 VERT-A-JET STEAM HEATED VENEER DRYER, 14' 12-SECTION, 4-TRAYS, 168" ROLLS, (1) DRAFT COOLING SECTION W/APPROX 25 HP MOTOR, 25 HP TRAY DRIVE MOTORS, (12) APPROX 30 HP SECTION FAN MOTORS, SWEED ACCUMATIC/ECONOVAC 1200AA 14' VACUUM FEEDER, APPROX 20 HP BLOWER, (1) 15 HP & (2) 5 HP HYDRAULIC UNITS, YASKAWA VFD'S, 21' 3-STRAND 81X ELEVATOR INFEED TRANSFER, 20' 3-STRAND 81X PRE-FEED TRANSFER, COE 14' 4-TRAY UNLOADER W/7-1/2 HP HYDRAULIC UNIT, 17' 4-STRAND APRON BELT W/ABB VFD TO POWERED PINCH ROLL W/ABB VFD TO 16' 3-STRAND C155D OUTFEED TRANSFER W/ABB VFD, CONTROLS & ELECTRICS

VENEER COMPOSER & MATCHING LINE:

(2) RAUTE C1400/C1100 VENEER COMPOSER LINES W/12' 2-STRAND 81X INFEED TRANSFER TO 64" HYDRAULIC LIFTING FORKS, 2,000 KG CAPACITY, 1,200 MM LIFT, 4-STRAND INFEED BELT W/TENSION HOLD DOWN ROLLS TO PNEUMATIC HOLD DOWN SHOES TO 1,900 MM CLIPPER STATION W/OUTFEED TENSION CHAINS W/HOLD DOWN SHOES TO GLUE STATION W/NORDSON PROBLUE 10224A HOT GLUE MELT MACHINE, STRING APPLICATORS W/FEED THRU CHAINS TO RE-CLIP STATION W/OUTFEED BELTS, COOLING STATION, SINGLE BIN STACKER W/MOTORIZED BELTS, STACK ARMS & SHOES, HYDORING HYDRAULIC UNIT W/(2) 10 HP HYDRAULIC PUMPS, 18"X32" CLEAN OUT BELT, (4) CONTROL TECHNIQUES UNITROL 5-1/5 KW VSD'S, CONTROLS & ELECTRICS (2ND COMPOSER MISSING SOME COMPONENTS)

VENEER MATCHING LINE:

CTC VENEER MATCHING LINE W/DUAL VACUUM UNLOADERS W/50"X84" ROLL TOP SCISSOR LIFTS, POWERED INFEED ROLLCASES, VACUUM BELTS W/APPROX 30 HP FANS, 60 HP HYDRAULIC UNIT, (2) 10'X4" 2-STRAND INFEED BELT TRANSFERS TO VENTEK SEQUOIA II VENEER MOISTURE DETECTOR W/16'X4" 2-STRAND FEED THRU BELT TRANSFER TO 2-1/2' X 3-ARM REJECT TIPPLE TO 63"X7" CANTED EVEN END ROLLCASE TO DUAL VACUUM STACKERS W/SINGLE VACUUM BELT W/(2) 25 HP FANS W/ABB 25 HP VFD'S, (2) 60"X72" HYDRAULIC OPERATED SCISSOR LIFTS W/POWER TOP ROLLS TO OUTFEED GRAVITY ROLLS, ALLEN BRADLEY 5000 SERIES PLC W/CONTROL NET & (3) DC INFEED & (3) DC OUTFEED MODULES, (2) ALLEN BRADLEY 5 HP & (3) 3 HP POWER FACTOR VFD'S (MISSING PLC'S)

VENEER PANEL TURNER & SAWS:

**SWEED RL-TC PANEL TURNER W/ADJUSTABLE OPENING TO 64" (MISSING PLC), S/N: 41054
SWEED VENCO 8' VENEER BANDSAW W/54" THROAT, 3 HP MOTOR, ADJUSTABLE FENCE, 12' 2 & 3-STRAND FEED THRU TRANSFER**

1994 SCMI 900SC 36" VENEER BANDSAW W/32" THROAT, 10 HP MOTOR, ROLLER FEED THRU TABLE, 42"X42" SCISSOR LIFT W/GRAVITY ROLLS

CHIPPERS & HOGS:

2006 BROOKS KLOCKNER BK-DH400X1000L-8W VENEER DRUM CHIPPER, SIDE FEED, BOTTOM DISCHARGE (NEW DRUM IN 2011), TOSHIBA 250 HP/1,780 RPM/460V/505 UZ FRAME MOTOR W/TOSHIBA SERIES TD011K0C1D 300 HP SOFT START, 1,300 MM DRUM DIA, (5) KNIVES, COUNTER KNIFE EXTRACTOR, 20 MM GRANULATE SIZE, 50 MM SCREEN SIZE, HYDRAULIC HOOD, (4) UPPER & (4) LOWER SEGMENTED FEED ROLLS, 15,000 KG, S/N: 17419

ARASMITH 50-50-HDC-1570-599 50"X50" SALVAGE DRUM CHIPPER W/RELIANCE 200 HP/1,750 RPM MOTOR, SIEMENS SIRIUS SERIES SOFT START, TOP FEED, BOTTOM DISCHARGE, S/N: 50-TK19R/25-A5

VKB 812-CS RE-CHIPPER W/TOSHIBA 100 HP MOTOR, (4) KNIVES, 720 RPM (LOCATED IN A DANGEROUS LOCATION & MAY BE SOLD W/OTHER EQUIPMENT), S/N: 99-950

WILLIAMS PATENT CRUSHER & PULVERIZER C-32 NO-KNIFE HOG MILL W/SIEMENS 100 HP/1,780 RPM MOTOR, TOP INFEED, SIDE OUTFEED (SPARE HAMMER & LINERS), S/N: 20556

LAMB GRAY APPROX 36"X36" HAMMER HOG W/TOSHIBA 500 HP/1,185 RPM/460V/5810US FRAME MOTOR, SPARE GRATES (LOCATED IN A DANGEROUS LOCATION & MAY BE SOLD W/OTHER EQUIPMENT)

NO MINIMUMS - NO RESERVES



**BARKO STATIONARY LOG LOADER
W/ROTOBEC 4642B ROTARY GRAPPLE**



**2009 LAIDIG S243 24' DIA CONCRETE DUST
SILO W/ RECLAIM & DISCHARGE AUGERS**



**2005 LIGNA-CON FILTER 14.5-500-452-12
CONTINUOUS REVERSE AIR CLEANING SYSTEM**



**1991 VALON KONE MKV-35C 35" 6-ARM RING
DEBARKER**



**1999 L&M 84" MODEL SWING SAW RH
W/INSERT TOOTH SAW**



**2012 INGERSOLL RAND IRN100H-CC ROTARY
SCREW COMPRESSOR**



**INGERSOLL RAND R901 ROTARY SCREW
COMPRESSOR**

BOILERS-PRECIPTATOR:

2005 HURST 600 HP WOOD WASTE FIRED BOILER, 325 PSIG, 20,700 LBS/HR, HURST 80,000 PPH DEAERATOR, METERED FUEL CONVEYORS, SOOT BLOWER, REAR SMOKE BOX, (4) 40 HP FEED WATER PUMPS W/VFD'S, WATER MAKE UP SYSTEM, MULTI-CYCLONE FLY ASH RECOVERY SYSTEM W/75 HP MOTOR, CONTROLS & ELECTRICS (REFURBISHED IN 2012), S/N'S: 0400446 & 0400447DA

1992 INDUSTRIAL BOILER WOOD WASTE FIRED BOILER, 325 PSIG, DEAERATOR TANK, METERED FUEL CONVEYORS, SHARED 40 HP FEED WATER PUMPS & WATER MAKE UP SYSTEM, MULTI-CYCLONE FLY ASH RECOVERY SYSTEM W/75 HP MOTOR, CONTROLS & ELECTRICS (RE-TUBED JAN. 12, 2018)

2000 PPC H1212-2S ELECTROSTATIC PRECIPITATOR, 20,000 CFM AT 250-600 DEGREE F. W/(2) 12' CHAMBERS, (2) CELLS, (2) BUS STATIONS, 1,218 CU FT SINGLE HOPPER A36X3/16", HEATERS, HAMMERS, 5,478 SQ FT COLLECTING SURFACE MATERIAL A36X18 GA., 2,112 LIN/FT OF DISCHARGE ELECTRODES, (2) TRANSFORMER RECTIFIERS, (2) GVC CONTROLLERS, A36X3/16" INLET & OUTLET TRANSITIONS, 2-1/2'X15' STACK A36X3/16" (81,200 LBS), S/N: 1236

STEAM VATS:

CONCRETE CONSTRUCTED STEAM CONDITIONING VATS W/(3) 20'X20' STEEL FRAMED ALUMINUM CLAD DOORS W/HYDRAULIC UNIT, 2007 SOUTHERN HEAT EXCHANGE CORP HEAT EXCHANGER, S/N:95692, 2005 MCCABE 300 PSI AT 475-DEGREE F. HEAT EXCHANGER, S/N: 211721-VH1, (1) CONDENSATE & (1) WATER PUMP & (1) SPARE HIDROSTAL 6"-7-1/2" WATER PUMP W/TOSHIBA 75 HP/1,780 RPM MOTOR (UNUSED), 6"X11-1/2" BOX CHAIN SCREENING CONVEYOR

DUST FILTER-SILO-FUEL HOUSE- CHIP BINS:

2005 LIGNA-CON FILTER 14.5-500-452-12 CONTINUOUS REVERSE AIR CLEANING SYSTEM, 6,163 SQ FT CLOTH W/AIR TO CLOTH RATIO OF 6.65:1 = 41,000 SCFM, CAN VELOCITY 248 FPM, 25 HP DIRECT DRIVE ALUMINUM CLEANING HEAD, (425) 5"X12' CAGES, (11) ALUMINUM EXPLOSION VENTS, KOGER CW UPBLAST SIZE 41 FAN W/250 HP MOTOR, BENSHAW RBX-1-S-302A-15C STARTER, KOGER CWLP SIZE 31 FAN W/30 HP MOTOR, AMW APPROX 24" BLOWER W/40 HP MOTOR, KOGER & AMW ROTARY AIR LOCKS, CLARKES CM41 HIGH SPEED ABORT GATE, CLARKES CXC-1 SPARK DETECTION & EXTINGUISHING SYSTEM, S/N: 1236

2009 LAIDIG S243 24' DIA CONCRETE DUST SILO W/RECLAIM & DISCHARGE AUGERS, APPROX 6' DIA CYCLONE, DISCHARGE GATE W/SCREW AUGER, (2) SMART BOB REMOTE START UNITS, ZERO SPEED SWITCH, SONAR LEVEL CONTROL, SPIN DOME, (4) ALLEN BRADLEY POWERFLEX 70 VFD'S, S/N: 352S243

FUEL HOUSE W/HOOPER SR-11D DISCHARGE/WALKING FLOOR W/(3) ARMS, (1) DAMAGED, (1) SPARE ARM, HYDRAULIC UNIT W/(3)15 HP PUMPS, APPROX 24"X38" VIBRATORY CONVEYOR, S/N: 300-1000CFH

(2) APPROX 80-UNIT HYDRAULIC OPERATED MONO CHIP BINS W/CROSS TOP AUGERS, HYDRAULIC UNIT

(2) APPROX 40-UNIT HYDRAULIC OPERATED CHIP BINS W/HYDRAULIC UNIT

LOG CRANE-STATIONARY LOG LOADER:

1997 DEAMCO 25-TON, 175' RADIUS LOG CRANE W/MODEL 1LGCHR 25 SQ FT ROTARY GRAPPLE W/40 HP HYDRAULIC UNIT, 150 HP ELECTRIC MOTOR W/VECTOR DRIVE, DYNAMIC REGENERATIVE BRAKING, 570' OF 7/8" CABLE AT 340 FPM, (2) 40 HP WHEEL DRIVE MOTORS W/VECTORS TO PLANETARY REDUCERS, TRACK, TIES (APPROX 90-TONS), S/N: 175F25TEL97078

BARKO STATIONARY LOG LOADER W/ROTOBEC 4642B ROTARY GRAPPLE, S/N: 501268

DEBARKER:

1991 VALON KONE MKV-35C 35" 6-ARM RING DEBARKER W/AIR SEAL, TOSHIBA 100 HP/900 RPM RING DRIVE MOTOR, 4"-35" DIA & 10' MIN TO TREE LENGTH CAPACITIES, (2) INFEED & (4) OUTFEED ROLLS W/TECO 30 HP MOTOR SM CYCLO DRIVE, RING SLIDE OUT, 13' CENTERING CHAIN W/MOTOR TO REDUCER DRIVE, HOLD DOWN ROLL & BEATER RING, HYDRAULIC UNIT W/(4) 50 HP MOTORS, LUBE PUMP & CONTROLS & ELECTRICS, CLEAN OUT CONVEYOR

NO MINIMUMS - NO RESERVES



**ARASMITH LILY PAD CHIPPER
KNIFE GRINDER**



APPROX 36" X 160' RADIAL STACKER



APPROX 42" X 250' COVERED TROUGHING BELT



MAINS & MCC'S



**(2) APPROX 80-UNIT HYDRAULIC
OPERATED MONO CHIP BINS**

CUT OFF SAW-STEP FEEDER-CHIP SCREENS:

1999 L&M 84" MODEL SWING SAW RH W/INSERT TOOTH SAW, APPROX 100 HP MOTOR, LOG HOLD DOWN ARMS, APPROX 60' 6"X6" H-CHAIN OUTFEED LOG HAUL, (6) SETS OF LOG STOPS, (3) LOG SWEEPS, MOTOR TO SQUARE BOX FALK DRIVE, (4) STEEL LOG STOPS 20' HYDRAULIC OPERATED 3-STEP LOG FEEDER W/APPROX 32' & 24' 5-STRAND H-CHAIN INFEED LOG DECKS

(2) BM&M 8'X20' 2-DECK CHIP SCREENS (LOCATED IN A DANGEROUS AREA & MAY BE SOLD W/OTHER EQUIPMENT), S/N: 4789A&B

INGERSOLL RAND R901 ROTARY SCREW COMPRESSOR, 125 HP, 540 CFM, 110 PSIG, HOUR METER READS: 26,958

COMPRESSORS-DRYERS-AIR RECEIVERS:

2012 INGERSOLL RAND IRN100H-CC ROTARY SCREW COMPRESSOR, 100 HP HPM MOTOR, 145 PSIG, S/N: NV7955U0228

QUINCY 491 ROTARY SCREW COMPRESSOR, 100 HP, AIR COOLED

(2) INGERSOLL RAND TWIN TOWER DESICCANT DRYERS

2003 ATLAS COPCO CD280 TWIN TOWER DESICCANT DRYER, 232 PSI, S/N: 14593

(2) 2007 STEEL FAB 36"X96" AIR RECEIVERS, 165 PSIG, S/N'S: 495335 & 495334 48"X120" AIR RECEIVER"

1991 MANCHESTER 48"X96" AIR RECEIVER, 125 PSIG, S/N: 437852

GARDNER DENVER 36"X96" AIR RECEIVER, 125 PSIG, S/N: 1173

KNIFE GRINDERS:

2007 REFORM TYPE 61AR31 TRAVEL BED KNIFE GRINDER W/15 HP HEAD, 360-DEGREE 8"X124" MAGNETIC CHUCK, QUICK CHANGE FLANGE, COOLANT PUMP & CONTROLS, S/N: 4938/91

ARASMITH LILY PAD CHIPPER KNIFE GRINDER, 2 HP DRIVE MOTOR, 24-KNIFE CAPACITY

RADIAL STACKER-TROUGHING BELTS W/METAL DETECTORS-CHAIN CONVEYORS:

APPROX 36"X160' RADIAL STACKER W/(8) 10.00-20 MOTORIZED TIRES, BELT TAKE UP, COVERED TROUGH & CATWALK, SUPPORTS, DRIVE

APPROX 42"X250' COVERED TROUGHING BELT (TO RIVER), CABLE WINCH, SUPPORTS, DRIVE APPROX 36"X200' COVERED TROUGHING BELT W/APPROX 36"X42" MAGNET

(TO SCREENS), BELT TAKE UP, CATWALK, SUPPORTS & DRIVE

APPROX 42"X175' COVERED TROUGHING BELT (TO CHIP BINS) W/BELT TAKE UP, CATWALK, SUPPORTS & DRIVES

APPROX 36"X140' COVERED TROUGHING BELT (FROM SCREEN TO RADIAL STACKER), BELT TAKE UP, CATWALK, SUPPORTS & DRIVE

APPROX 30"X85' COVERED TROUGHING BELT (FROM SCREEN)

APPROX 24"X18' INFEED BELT (TO WILLIAMS HOG), 5' TUB, MDI CR85 DIGITAL CONTROL CHASSIS, XR 3000 SERIES XR36 COIL, S/N: EC10151

APPROX 24"X75' INFEED BELT (TO BK CHIPPER), 5' TUB, RENS L249 METAL DETECTOR, S/N: 61287

APPROX 30"X38' INFEED BELT (TO LAMB GRAY HOG), 5' TUB, RENS L240 METAL DETECTOR

APPROX 200' 6"X6" W/FLITES CHAIN CONVEYOR (FROM BK CHIPPER TO SCREEN), COVERED TROUGH, CATWALK & DRIVE

APPROX 190' 6"X6" W/FLITES CONVEYOR (AT LAMB HOG) W/(8) SWEEPS & (8) LOG SORTS W/DRIVE

APPROX 150' 8"X15" BOX CHAIN CONVEYOR (FROM CUT OFF SAW), S-DRIVE W/DRIVE

APPROX 120' 8"X15" BOX CHAIN CONVEYOR (TO HOG BELT) S-DRIVE W/DRIVE

APPROX 75' 8"X15" BOX CHAIN CONVEYOR (FROM ARASMITH) W/DRIVE

APPROX 45' 3-STRAND 8"X15" BOX CHAIN CONVEYOR (FROM RADIAL CONVEYOR), S-DRIVE W/DRIVE

(2) APPROX 26' 6"X6" W/FLITES CONVEYORS (FROM DEBARKER), S-DRIVE W/DRIVE

MAIN'S & MCC'S:

(3) SIEMENS 2-SECTION, 2,500 AMP MAINS, (2) SIEMENS 1-SECTION 800 AMP MAINS, CH EATON 9-SECTION MCC W/(36) SWITCHES, EATON CUTLER HAMMER 9-SECTION MCC W/(34) SWITCHES, CH EATON 8-SECTION MCC W/(37) SWITCHES, CH EATON 7-SECTION MCC W/(35) SWITCHES, CH EATON 7-SECTION MCC W/(23) SWITCHES, CH EATON 6-SECTION MCC W/(27) SWITCHES, CH EATON 6-SECTION MCC W/(22) SWITCHES, CH EATON 5-SECTION MCC W/(25) SWITCHES, CH EATON 5-SECTION MCC W/(21) SWITCHES, CH 5-SECTION MCC W/(19) SWITCHES, CH FREEDOM 2100 SERIES 5-SECTION MCC W/(13) SWITCHES

STARTER'S:

AVTRON ADVANTAGE 32 ADVANCED DIGITAL 360 AMP LATHE DRIVE, BENSHAW RBX-1-3-302A-15C SOFT START, ABB 755 50 HP VFD, ALLEN BRADLEY POWER FACTOR 70 30 HP VFD, (5) ALLEN BRADLEY POWER FACTOR 70 25 HP VFD'S, (2) ALLEN BRADLEY POWER FACTOR 70 15 HP VFD'S, (6) ALLEN BRADLEY POWER FACTOR 70 10 HP VFD'S, (61) ALLEN BRADLEY POWER FACTOR 70 7-1/2 HP VFD'S, (10) ALLEN BRADLEY POWER FACTOR 70 5 HP VFD'S, (3) ALLEN BRADLEY POWER FACTOR 70 3 HP VFD'S, (24) ALLEN BRADLEY POWER FACTOR 70 2 HP VFD'S, (7) ABB ACS 355 7-1/2 HP VFD'S, (2) ABB ACS 355 2 HP VFD'S

PLC'S:

(3) ALLEN BRADLEY 5000 SERIES PLC'S W/CONTROL NET, (3) DC INPUT & (3) DC OUTPUT MODULES

NO MINIMUMS - NO RESERVES



APPROX 100' 3-DECK VENEER TRAYS



GRECON SINGLE DMR 2000 VENEER THICKNESS STATION



GRECON TWIN UPU 2000 VENEER BOND ANALYZER



1994 SCMI 900SC 36" VENEER BANDSAW



20' HYDRAULIC OPERATED 3-STEP LOG FEEDER



APPROX 30" X 85' COVERED TROUGHING BELT



2008 CAT 216B2 SKID STEER

ROLLING STOCK:

2008 CAT 216B2 SKID STEER W/66" BUCKET, SOLID TIRES, S/N: CAT216BCRL07482

SHOP & MISC:

JV MFG 60 VERTICAL BALER, S/N: 2167

FAIRBANKS MODEL RMT-1501 65 TON X 20 LB LOAD CELL TRUCK SCALE

THURMAN MODEL 8130 100 TON X 20 LB TRUCK SCALE (DECK ONLY)

DO ALL 1612 CONTOUR MACHINE

ASSORTED SHOP EQUIPMENT TO INCLUDE: SAW CHAIN SHARPENER, JIG GRINDER, BABBIT POT, ABLE HOME 1-TON JIB HOIST, ASSORTED HOISTS, BEARINGS, (3) FROMM 18V BANDERS, (3) BANDING CARTS, (18) SELF-DUMPING HOPPERS, (7) WAREHOUSE LADDERS, (12) MATERIAL CARTS, (15) PORTABLE FANS, (20+/-) SECTIONS OF PALLET RACKING, (50+/-) SECTIONS OF METAL SHELVES, (2) FLAMMABLES CABINETS, HUNDREDS OF PARTS BINS, SPARE MOTORS TO 100 HP, GEARHEAD MOTORS, REDUCERS, TROUGHING ROLLS, MILL CHAIN, HYDRAULIC PUMPS, VALVES, BELTING, COUPLERS, TEMPOSONICS, VALVES, FUSES, SPROCKETS, BELTS, FILTERS, PLUMBING, NUTS & BOLTS, ELECTRICAL TESTERS, PRECISION MEASUREMENT TOOLS, UNUSED VAT PUMP, SPARE PRESS CYLINDER & PUMP, CHECKMATE DISPLACEMENT PUMP, STEEL TABLES & LOCKERS & LARGE QUANTITY OF OFFICE FURNITURE



James G. Murphy Co.
murphyauction.com
425.486.1246



TERMS AND CONDITIONS

13% BUYERS PREMIUM ON ALL PURCHASES

PAYMENT: FULL PAYMENT MUST BE MADE BY 5 PM, FRIDAY, FEBRUARY 26TH. PAYMENT MUST BE MADE BY ONLINE CREDIT CARD OR WIRE TRANSFER ONLY, NO IN-PERSON PAYMENTS (DUE TO COVID19). AFTER THE AUCTION CLOSING & YOU RECEIVE YOUR EMAILED INVOICE, PLEASE REPLY AND WE WILL CHARGE YOUR CARD ON FILE. TO PAY ONLINE GO TO MURPHYAUCTION.COM CLICK ON THE ONLINE BIDDING DROPDOWN MENU AND GO DOWN TO MAKE PAYMENT.

REMOVAL: CUSTOMERS ARE RESPONSIBLE FOR REMOVING THEIR ITEMS FROM THE AUCTION SITE. ALL ITEMS MUST BE REMOVED NO LATER THAN 4:00 PM FRIDAY, MAY 14TH.

REMOVAL HOURS: 8:00 AM – 4:00 PM, FRIDAY, FEBRUARY 26TH THROUGH FRIDAY, MAY 14TH
NO WEEKEND REMOVAL.

WARRANTY DISCLAIMER: ALL SALES ARE FINAL. ALL ITEMS ARE BEING SOLD "AS IS, WHERE IS," WITH ALL FAULTS AND WITHOUT ANY WARRANTIES AS TO MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE. THE PRINCIPAL/SELLER, THE AUCTIONEER, THE ADVERTISING COORDINATOR, AND ANY OF THEIR AGENTS MAKE NO EXPRESS OR IMPLIED WARRANTIES OF ANY TYPE.

COMPLETE TERMS AND CONDITIONS OF SALE
WILL BE AVAILABLE AT THE TIME OF SALE.

1.800.426.3008 - 425.486.1246 - murphyauction.com

START DATE: 11:00 AM | THURSDAY - FEBRUARY 18
END DATE: 11:00 AM | THURSDAY - FEBRUARY 25



**2007 REFORM TYPE 61AR31
TRAVEL BED KNIFE GRINDER**



James G. Murphy Co.
Commercial & Industrial Auctioneers
P.O. Box 82160, Kenmore, WA 98028

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
SEATTLE, WA
PERMIT NO. 963



425.486.1246
murphyauction.com



James G. Murphy Co.

Commercial & Industrial Auctioneers



PUBLIC ONLINE AUCTION

FORMER MANNINGTON MILLS

Plywood Plant Equipment

Start Date: 11:00 AM | Thursday - February 18

End Date: 11:00 AM | Thursday - February 25

Preview: 8AM - 4PM | Wednesday - February 24

785 Port Of Epes Hwy, Epes, AL 35460

1.800.426.3008 - 425.486.1246 - *murphyauction.com*