



James G. Murphy Co.



MURPHYAUCTION.COM - 425.486.1246

PUBLIC AUCTION

**Swanson
Group** 

9AM - WEDNESDAY - AUGUST 7

PREVIEW 8-4PM, TUESDAY, AUGUST 6

2695 GLENDALE VALLEY RD., GLENDALE, OR 97442

CLOSING GLENDALE SAWMILL LOCATION ONLY

SAWMILL, PLANER MILL & ROLLING STOCK



2018 MILLER TRIPLE PINEAPPLE FEED TABLE



**2004 LINDEN DQ436X55 60' DOUBLE
ACTING QUADRANT FEEDER**



2018 ALLEN BRADLEY CENTERLINE MCC



2015 NEWNES 20' TILT HOIST



2000 USNR SERIES 7310 MERCHANDISER

BID LIVE OR BID ONLINE - NO MINIMUMS - NO RESERVES

1.800.426.3008 - 425.486.1246 - MURPHYAUCTION.COM

**WHOLE LOG CUT OFF SAW**

1999 STROHM L0-66 INSERT TOOTH WHOLE LOG CUT OFF SAW W/TOSHIBA 75 HP/1,188 RPM MOTOR, APPROX 65' 4-STRAND WR124XHD CHAIN INFEED LOG HAUL, S-DRIVE, MOTOR TO REX DRIVE, APPROX 34' 4-STRAND WR124XHD OUTFEED LOG HAUL, MOTOR TO REX DRIVE, SCANNER SENSORS

LOG MERCHANDISING SYSTEM

2000 USNR SERIES 7310 LOG MERCHANDISING SYSTEM W/(8) 72" INSERT TOOTH TEMPOSONIC POSITIONED CHOP SAWS W/(2) BALDOR 75 HP/1,185 RPM & (6) BALDOR 60 HP/1,185 RPM MOTORS, PRE-SET FENCE, (14) LOG CLAMPS, (8) LOG DIVERTER ARMS, (14) 34" HYDRAULIC POWERED HOURGLASS ROLLS, SAW HYDRAULICS MOUNTED ON POWER TRACK SYSTEM, SAW MODULES MOUNTED ON RACK & PINION SYSTEM W/TEMPOSONIC POSITIONED CYLINDERS, USNR/HERMARY LOG SCANNING SYSTEM W/(6) MODEL 2016 SCANNERS, 125' SCANNER LOG HAUL W/R03315 VEE-CRADLE CHAIN, 24" SPACING, MOTOR TO REX DRIVE, 30" X APPROX 64' INFEED BELT W/(3) 4-ARM & 3-ARM X 4' LOG KICKERS W/MOTOR TO REX DRIVE, APPROX 60' POWERED HOURGLASS ROLLCASE W/(16) APPROX 28" X 42" INDIVIDUALLY HYDRAULIC DRIVEN ROLLS, (3) 2019 INDIVIDUALLY OPERATED 4-ARM & 30ARM HYDRAULIC OPERATED LOG LOADERS, 27", 30" & 36" ENVELOPES, 30" X APPROX 82' OUTFEED LOG HAUL BELT W/BELT TAKE UP, TECO 60 HP MOTOR TO REX REDUCER DRIVE, 500 GALLON HYDRAULIC UNIT W/(5) 60 HP MOTORS TO VICKERS PUMPS, (3) HEAT EXCHANGERS, CHROMALOX HEATER, (5) SPARE 72" X 100-TOOTH X 2-GAUGE SAWS W/2-3/4" ARBOR, CH FREEDOM SERIES 2100 11-SECTION MCC W/ARROW SPEED CONTROLS MITSUBISHI INVERTER DRIVES

WHOLE LOG QUAD FEEDERS

2004 LINDEN DQ436X55 60' DOUBLE ACTING QUADRANT FEEDER W/BALDOR 40 HP MOTOR, HYDRAULIC OPERATED 60' 3-SECTION LOG STOP & LOADER

LINDEN 42' SINGLE ACTING HYDRAULIC OPERATED QUADRANT FEEDER W/2005 HTS 800 GALLON HYDRAULIC UNIT W/(3) 75 HP MOTORS TO VICKERS PUMPS W/HEAT EXCHANGER

LOG LADDER & STEP FEEDERS

NEW WEST LOG HYDRAULIC OPERATED 24' 10-STEP LOG LADDER (CONVERTED FROM ELECTRIC OPERATED), HYPower HYDRAULIC UNIT W/(3) 60 HP MOTORS & HEAT EXCHANGER

LINDEN 24' STEP FEEDER W/(4) STEPS, 25 HP MOTOR TO SM CYCLO REDUCER DRIVE

LINDEN 24' STEP FEEDER W/(3) STEPS, (3) 5 HP MOTOR TO REX VENUS REDUCER DRIVES

LOG DECKS-HAULS-ROLLCASE-SINGULATOR-ORIENTER

50'W X 32'L 7-STRAND WR132 SPLIT INFEED LOG DECK, S-DRIVE

50'W X 16'L 7-STRAND WR132 SPLIT INFEED LOG DECK, S-DRIVE, (2) MOTORS TO REX REDUCER DRIVES

16' 6-STRAND WR124XD INFEED LOG DECK TO STEP FEEDER W/SKK GEARHEAD MOTOR

10' 7-STRAND WR124XD INFEED LOG DECK TO LOG LADDER W/SKK GEARHEAD MOTOR

2019 CUSTOM BUILT LOG SCREW SINGULATOR FROM MERCHANDISER W/(6) 10' LOG SCREWS W/TOSHIBA 30 HP MOTOR TO REX POLARIS 32 RPM REDUCER, 20'W W/10' TRIPLE STRAND EVEN END CHAIN W/SUMITOMO 10 HP/179:1 RATIO GEARHEAD MOTOR LOG ORIENTER W/DUAL 84" ROLLS & KICKERS W/30" X 38' OUTFEED CONVEYOR W/SKK GEARHEAD MOTOR

WHOLE LOG METAL DETECTOR

MDI TWA2000 WHOLE LOG METAL DETECTOR, 36" X 44', CR85 CONTROLLER W/SERIES 2000 CHASSIS, S/N:980617, 30" X APPROX 86' FEED THRU BELT W/(2) SETS OF 5-ARM LOG KICKERS, SKK GEARHEAD MOTOR



RESAW-TIMBER SAW-PACKAGE SAW

SALEM 5' TEMPOSONIC POSITIONED VERTICAL TWIN BAND RESAW W/RELIANCE 150 HP/1,190 RPM MOTORS, 1" TOP & BOTTOM WHEELS, HYDRAULIC HOODS, APPROX 25' POWERED INFEED ROLLCASE, (6) 8" X 30" CANTED ROLLS, 3-1/2' 4-STRAND INFEED TRANSFER W/CANT TURNER, PRESS ROLLS, SKK & MOTOR TO SKK DRIVES, 26' POWERED OUTFEED ROLLCASE W/(9) 8-1/2" X 72" KNURLED & SMOOTH ROLLS, 7' X 11-STRAND OUTFEED BOARD PICKER TRANSFER, SKK GEARHEAD DRIVE MOTOR, 60 HP SETWORKS HYDRAULIC UNIT, ALLEN BRADLEY MCC & PLC, SPARE SAWS, GUIDES & PARTS

TIMBER SAW

32" TIMBER SAW W/10 HP MOTOR, APPROX 33' 2-SECTION HYDRAULIC DRIVEN INFEED ROLLCASE W/(13) 8" X 30" ROLLS & (1) TIMBER STOP, APPROX 18' HYDRAULIC DRIVEN OUTFEED ROLLCASE W/(6) 8" X 30" ROLLS & (6) TIMBER STOPS, APPROX 18' 2-STRAND H78 W/FLIGHTS CLEAN OUT CONVEYOR W/SKK GEARHEAD MOTOR, HYDRAULIC UNIT, ALLEN BRADLEY MCC (SAWMILL)

PACKAGE SAW

L&M 7' PACKAGE SAW W/10 HP MOTOR, (3) SPARE BARS, 5 HP HYDRAULIC UNIT ON SCREW, 20' PACKAGE CARRIAGE W/MOTOR TO REDUCER DRIVE, 7' LIFT STATION, 48' CARRIAGE W/SIDE ROLLS, 23" X 27' CLEAN OUT CONVEYOR W/GEARHEAD MOTOR, 21' PACKAGE ROLLCASE/BUMP STATION W/(7) 8-1/2" X 51" ROLLS, MOTOR TO SM CYCLO DRIVE, ALLEN BRADLEY MCC & PLC (PLANER MILL)


EDGERS-OPTIMIZER

1998 SCHURMAN 2TA30SBE CHIPPING SAW BOSS REMAN EDGER, 2" X 18" SPLINED BOTTOM ARBOR BOARD EDGER TOP SEGMENTED REMAN HEAD W/TOSHIBA 150 HP/1,775 RPM MOTOR, RIGHT & LEFT HAND 2-SAW SPLINED ARBORS W/75 HP/3,540 RPM MOTORS, BALDOR 30 HP/1,770 RPM MOTOR TO SKK REDUCER FEED ROLL DRIVE, HOLD DOWN ROLLS, CLAMSHELL OPENING, S/N:29808, CM&E MODEL 91 TEMPOSONIC POSITIONED CHIPPING HEADS W/LINDSAY CONVERSION, 10-KNIFE X 24-7/8" FACE, TOSHIBA 200 HP/1,180 RPM MOTORS, SCHURMAN 650 TEMPOSONIC POSITIONED MAXIMIZER INFEED MODULE CONVERTED TO 625 PUSHER MODULE W/CENTERLINE CHAIN & HYDRAULIC DRIVE, 9-STRAND INFEED TRANSFER W/POSITIONING & SPEED UP HYDRAULIC DRIVES, 52" X APPROX 11' OUTFEED BELT W/TAILO ROLL & SKK GEARHEAD DRIVE, SETWORKS HYDRAULIC UNIT W/(2) 25 HP PUMPS, GE MCC & ALLEN BRADLEY PLC, SPARE GUIDES, SAWS & PARTS

APPLIED THEORY/USNR EDGER OPTIMIZER, SCAN 20', PASS 24', USNR S26L7D HEADS, USNR GEOII-VAX 400 TIMBER GRAFIX PACKAGE, 15' 9-STRAND LUGGED FEED THRU TRANSFER W/EVEN END ROLLS & 7-ARM TIPPLE

SCHURMAN/USNR 4/6SBA24 GANG EDGER W/(1) ACC 350 HP/1,775 RPM/445T FRAME & (1) TOSHIBA 300 HP/1,775 RPM/449T FRAME MOTORS, #2 INVOLUTE SPLINED BOTTOM ARBOR, CHROMED FEED ROLLS, SIDE PRESS ROLL & HOLD DOWNS, APPROX 24' & 30' INFEED ROLLCASES W/FIXED LINE BAR, (19) KNURLED & SMOOTH 8-1/2" X 21-1/2" ROLLS, SKK GEARHEAD MOTORS, 22" X APPROX 24' OUTFEED BELT W/SKK GEARHEAD MOTOR, GANG SIDE PRESS ROLL & HYDRAULIC UNITS, (1) AT 30 HP & (2) AT 20 HP, WATERMIZER SYSTEM, 550 & 240 GALLON LUBE OIL TANKS, SPARE GUIDES & PARTS





TRIMMERS-FENCES-OPTIMIZER-TONG LOADER

HEMCO SERIES 332 ACCU-TRIM RH AIR LIFT TRIMMER, CUT 20', PASS 24', S/N:3276 W/(13) 22" INDIVIDUALLY MOTORIZED SAWS, ZERO SAW, 2"-20" & 9'-3" SAWS, APPROX 9' 9-STRAND LUGGED FEED THRU TRANSFER, SPARE 22" SAWS W/1-15/16" ARBORS, PARTS, ALLEN BRADLEY MCC & PLC (SAWMILL)

2011 SEC POS724 MINI POSI-LOCK POSITIONING FENCE, 0"-24" ADJUSTMENTS, (10) PADDLES, (8) SCAN SEGMENTS, 15" LUG SPACE, 9' EVEN ENDING 81X LUGGED TRANSFER W/(9) 8' EVEN ENDING ROLLS (SAWMILL)

HEMCO/USNR P3A001 TRIMMER OPTIMIZER, SCAN 20', PASS 24' W/USNR G26L7D HEADS, USNR GEO II TIMBER GRAFIX PC SOLUTIONS PACKAGE (SAWMILL), S/N: 3354E

PLC 200 TONG DOG LOADER W/9' X 6-LUGS INFEED TRANSFER W/INDIVIDUALLY HYDRAULIC DRIVEN EVEN END ROLLS, 9' 8-STRAND 2-SECTION INFEED W/SKK GEARHEAD MOTORS (SAWMILL)

IRVINGTON MOORE 6671LH AIR LIFT TRIMMER, CUT 24', PASS 30', S/N:21253L W/(13) 20" 10 HP/3,4450 RPM INDIVIDUALLY MOTORIZED SAWS, ZERO SAW & 2'-24' SAWS, APPROX 13' 10-STRAND 81X LUGGED PASS THRU TRANSFER W/(7) 108" EVEN END ROLLS, APPROX 26' 10-STRAND 81X LUGGED OUTFEED TRANSFER W/(9) 17' EVEN ENDING ROLLS, CUT-IN-TWO STATION APPROX 30' X 5-STRAND 81X LUGGED, SPARE 20" SAWS & PARTS, ALLEN BRADLEY MCC (PLANER MILL)

2013 USNR 7PLH24 MULTI-TRACK FENCE W/24" SETBACK, INFINITE FENCE BUMPER RESOLUTION, SPEEDS TO OVER 250 LPM, ALL ELECTRIC ACTUATION, ROTATING CHAIN TRACK W/1-1/2" SPACING

SORTERS-STACKERS

LSI 20' 7-TRAY SORTER W/APPROX 17' 9-STRAND 81X LUGGED OUTFEED TRANSFER FROM TRIMMER W/(9) 9' EVEN END ROLLS, 8' 5-STRAND 81X LUGGED INCLINE TRANSFER, APPROX 12' 6-STRAND INCLINE TRANSFER W/5-STRAND BELT TRANSFER TO 28' 6-STRAND DECLINE TRANSFER W/(7) SETS OF LUMBER DIVERTERS TO SKATE ROLLS, 1ST SECTION OF TRAYS IS AVERAGE OF 20'L X 5-STRAND X 7-TRAYS W/(7) GEARHEAD MOTORS, 2ND SECTION OF TRAYS IS AVERAGE OF 40'L X 5-STRAND X 7-TRAYS W/(7) GEARHEAD MOTORS, 3RD SECTION OF TRAYS IS AVERAGE OF 80'L X 5-STRAND X 7-TRAYS W/(7) TOSHIBA 3 HP MOTORS TO HAMPTON 30:1 RATIO REDUCER GEARHEAD MOTORS, 8" X APPROX 22' 5-STRAND TIPPLE BELT W/SKK 7-1/2 HP/56 RPM GEARHEAD MOTOR, TOWER DRIVE, APPROX 64' 5-STRAND GREEN CHAIN W/(2) STRANDS OF 4" POLY ROLL TOP, (1) STRAND OF 4" STEEL ROLL TOP & (2) STRANDS OF H78 W/SKK 56 RPM GEARHEAD MOTOR, APPROX 80' 5-STRAND 81X TRANSFER W/SKK 5 HP/56 RPM GEARHEAD MOTOR, (9) POWERED & (1) GRAVITY, 4' X APPROX 32' LUMBER PULL ROLLCASES, ALLEN BRADLEY MCC & PLC (SAWMILL)

IRVINGTON MOORE 20' 45-BIN 4-STRAND PUSH LUG SORTER, 36" IN BETWEEN COLUMNS, BALDOR 200 HP/1,180 RPM MOTOR TO DODGE TXM 181 RPM REDUCER DRIVE W/ALLEN BRADLEY POWER FACTOR 755 250 HP AC INVERTER, (8) REMOTE STATIONS, 30' 6-STRAND 81X LUGGED INFEED, 110-DEGREE RADIUS, (4) 35' 5-STRAND TAKE AWAY TRANSFER, 22' 5-STRAND OUTFEED TRANSFER, 17' 5-STRAND INCLINE TRANSFER W/SKK GEARHEAD DRIVE MOTORS, RUCKER 15 HP HYDRAULIC UNIT, ALLEN BRADLEY MCC & PLC'S

HI-TECH 24' 42-BIN PUSH LUG SORTER (DISMANTLED & LOCATED AT PLYWOOD MILL IN GLENDALE) W/TOSHIBA 50 HP MOTOR TO REX EARTH 126 RPM REDUCER, 120' 6-STRAND LUGGED TRANSFER, REMOTE STATIONS, 60 HP HYDRAULIC UNIT, (4) 30' 6-STRAND TAKE AWAY TRANSFERS, (4) TOSHIBA 10 HP MOTORS TO REX ATLAS 55 RPM REDUCERS
(PLEASE MAKE AN APPOINTMENT TO VIEW)

IRVINGTON MOORE 20' HYDRAULIC OPERATED CONTINUOUS OVER END STACKER W/DUAL 50 HP HYDRAULIC UNIT, 6-ARM X 56" LUMBER LOWERING PRIMARY HOIST, 7-ARM X 56" LUMBER LOWERING SECONDARY HOIST, (5) LUMBER PLACING ARMS, (3) LATH MAGAZINES, 30' 4-SECTION INFEED TRANSFER SYSTEM, 24' 5-STRAND 81XHD W/SKK & CROSS OVER ROLLCASE, ALLEN BRADLEY MCC & PLC (PLANER MILL)



BANDER-PAINT STATION-LOAD DOUBLER

SIGNODE MHT-MP44 BANDER, S/N:C547, MHT80 PLASTIC HEAD, (2) SPARE HEADS, BANDING FEEDER, CONVEY KEYSTONE DOUBLE MAGAZINE BATTEN FEEDER, 24' 2-STRAND INFEED TRANSFER W/(9) 9" X 60" ROLLS, 38' 2-STRAND OUTFEED TRANSFER, SKK GEARHEAD DRIVE MOTORS, CONVEY KEYSTONE PAINT STATION W/8' 2-STRAND INFEED TRANSFER, APPROX 34' 2-STRAND OUTFEED TRANSFER W/(6) 20' POP UP ROLLS, SKK GEARHEAD MOTORS, IRVINGTON MOORE HYDRAULIC OPERATED LOAD DOUBLER W/4' FORKS, HYDRAULIC UNIT W/(2) 50 HP PUMPS, 28' 4-STRAND 81XH OUTFEED TRANSFER W/SKK GEARHEAD MOTOR, ALLEN BRADLEY MCC & PLC'S (PLANER MILL)

PLANER-FEED TABLE-BRIDGE-STAIN TUNNEL

1993 YATES A95RH PLANER, S/N:B29644, 6" X 13" CAPACITY, 4-HEAD, 20-KNIFE, 150 HP TOP, 75 HP BOTTOM & 100 HP & 75 HP SIDE HEADS, 2018 MILLER CONVERSION W/75 HP ELECTRIC DRIVE ON (4) INFEED ROLLS, 50 HP ELECTRIC DRIVE ON (2) OUTFEED ROLLS, CHIP BREAKERS, PLANER DOCTORS, (2) 4" X 20-KNIFE & (10) 2" X 20-KNIFE PLANER HEADS, ROLLER BARS, SPARE TOP CYLINDERS, GUIDE BAR & PARTS (PLANER MILL)

2018 MILLER 20' TRIPLE PINEAPPLE FEED TABLE W/15 HP MOTORS, HYDRAULIC DRIVEN SPEED UP ROLL, (9) 14" X 30" SPIRAL ROLLS W/TOSHIBA 15 HP/875 RPM MOTORS, 48" EVEN END CHAIN W/GEARHEAD MOTOR, 5' 7-STRAND INFEED TRANSFER W/HYDRAULIC DRIVE

2018 MILLER 18' 2-SECTION LIVE BRIDGE W/(8) 14" X 20" KNURLED & SMOOTH ROLLS W/TOSHIBA 30 HP/900 RPM MOTOR, (2) SETS OF (4) POWERED HOLD DOWN ROLLS W/TOSHIBA 7-1/2 HP/900 RPM MOTOR (PLANER MILL)

STAIN TUNNEL W/(3) LMI METERING PUMPS, (2) SEA METRICS CONTROLLERS, PUMPS, TANKS, FILTERS (PLANER MILL)

TILT & RE-ENTRY HOISTS-STICKER RECOVERY SYSTEM-SLASHER SAW

2015 NEWNES HYDRAULIC OPERATED 20' CONTINUOUS TILT HOIST W/5-ARM X 56" HOIST, 40 HP, 25 HP & 15 HP HYDRAULIC UNIT, 14' 5-STRAND 81X LUMBER DECLINE TRANSFER & 20' 4-STRAND H82 INFEED TRANSFER W/SKK GEARHEAD MOTORS (PLANER MILL)

APPROX 13' 5-ARM X 52" HYDRAULIC OPERATED RE-ENTRY TILT HOIST W/20 HP HYDRAULIC UNIT

2015 MOCO STICKER RECOVERY SYSTEM W/6' 2-STRAND LUGGED 81X UNSCRAMBLER TO 20' 2-STRAND STICKER TRANSFER TO 38' 2-STRAND STICK CART TRANSFER, FED BY 11' X 32' STICKER BELT W/GEARHEAD DRIVE MOTORS, STICKER CARTS (PLANER MILL)

48" TRASH SAW W/APPROX 20 HP MOTOR, INFEED & OUTFEED BELTS (PLANER MILL)

HOG-CHIPPERS & CHIP SCREENS

JEFFREY 54WB HAMMER HOG, S/N:13697 W/HPS INERTIA 200 HP/1,200 RPM MOTOR (NEW GRATES & HAMMERS IN 2018), SPARE 64LB HAMMERS & GRATES, SAF SS6-360-4-12 200 HP OPAL SS6 SERIES STARTER, 28" X 28' INFEED BELT W/36" TROUGH, MDI CR85 METAL DETECTOR, S/N:970714 (SAWMILL)

PRECISION 66.18 8-KNIFE CHIPPER, S/N:C2207 W/TOSHIBA 150 HP/1,180 RPM MOTOR, HORIZONTAL INFEED, TOP OUTFEED, POWERED HOOD (PLANER MILL)

CM&E 600SS 60" 6-KNIFE CHIPPER W/GE 150 HP/1,180 RPM MOTOR, DROP INFEED, BOTTOM OUTFEED, INERTIA EZ6-180 150 HP STARTER (SAWMILL)

CM&E NORMAN 50 16-KNIFE CHIPPER W/GE 100 HP/880 RPM MOTOR, DROP INFEED, TOP OUTFEED (SAWMILL)

ACROWOOD 5' X 10' 3-DECK CHIP SCREEN (SAWMILL)

BM&M 5X102D 2-DECK CHIP SCREEN (PLANER MILL)

BM&M 4X82D 2-DECK CHIP SCREEN (SAWMILL)

ROTEX 5X8 2-DECK CHIP SCREEN (SAWMILL)



BALANCED VIBRATORY CONVEYORS-METAL DETECTORS

MILL POWER 48" X APPROX 31' BALANCED VIBRATORY CONVEYOR (DLI BUILDING)

MILL POWER (3) 48" X APPROX 30" BALANCED VIBRATORY CONVEYORS (LPC BUILDING)

MILL POWER (3) 36" X APPROX 90' BALANCED VIBRATORY CONVEYORS (LPC BUILDING)

MILL POWER 36" X APPROX 70' BALANCED VIBRATORY CONVEYOR (LPC BUILDING)

MILL POWER 24" X APPROX 188' BALANCED VIBRATORY CONVEYOR (DLI BUILDING)

MILL POWER 24" X APPROX 90' BALANCED VIBRATORY CONVEYOR (DLI & SM BUILDING)

MILL POWER 24" X APPROX 37' BALANCED VIBRATORY CONVEYOR (LPC BUILDING)

MILL POWER 24" X APPROX 32' BALANCED VIBRATORY CONVEYOR (DLI BUILDING)

MILL POWER 24" X APPROX 28' BALANCED VIBRATORY CONVEYOR (SAWMILL)

MILL POWER 18" X APPROX 18' BALANCED VIBRATORY CONVEYOR (DLI BUILDING)

MILL POWER 18"-24" X APPROX 19' BALANCED VIBRATORY CONVEYOR W/4' TUB, MDI CCW65A METAL DETECTOR, S/N:2257 W/SERIES XR3000 COIL (PLANER MILL)

MILL POWER 18" X APPROX 28' BALANCED VIBRATORY CONVEYOR W/5' TUB, RENS L240 METAL DETECTOR, S/N:082499 (PLANER)

2016 MDI CR-853000 METAL DETECTOR DIGITAL CONTROL CHASSIS, S/N:EV10873 W/XR-9 FUNCTION BLOCK 40-200 FPM, S/N:V1022, 20" X 36" XR3000 COIL (NORMAN CHIPPER)

MDI CR85 METAL DETECTOR (HOG), S/N: 970714

MDI CCW65 METAL DETECTOR W/XR3000 COIL (PRECISION CHIPPER), S/N: 2557

RENS L240 METAL DETECTOR (CM&E CHIPPER), S/N: 82499

BLOWERS-FEEDERS

SUTORBILT 1029-5111 10" X 24" BLOWER W/BROOKS 125 HP MOTOR, STODDARD SILENCER (DLI BUILDING)

2007 WESTERN PNEUMATICS 824-3000H 8" X 24" BLOWER W/TOSHIBA 150 HP MOTOR (SAWMILL)

SUTORBILT/RADER 8" X 24" BLOWER W/75 HP/1,775 RPM MOTOR (PLANER, S/N: A94901

SUTORBILT/RADER 8" X 24" BLOWER, US 75 HP/1,770 RPM MOTOR, SILENCER (SAWMILL)

RADER 8X24V-3000 8" X 24" BLOWER W/TOSHIBA 50 HP MOTOR, STODDARD SILENCER (DLI BUILDING)

PRECISION 24" X 24" FEEDER W/DRIVE (SAWMILL)

2000 WESTERN PNEUMATICS 20" X 25" CCW FEEDER W/DRIVE (DLI BUILDING), S/N: 889

RADER 20" X 25" ESW FEEDER W/DRIVE (PLANER), S/N: 4791

PRECISION TYPE 20" X 20" FEEDER W/DRIVE (SAWMILL)

24" LOW PRESSURE BLOWER W/50 HP MOTOR (PLANER)

20" LOW PRESSURE BLOWER W/25 HP MOTOR (PLANER)





BAGHOUSE-CHIP BINS-SURGE BINS-CYCLONES

1997 WESTERN PNEUMATICS 630FLT BAGHOUSE FILTER, S/N:169-97-18380, APPROX 66,000 CFM AT 8:1 CLOTH RATIO, 8,247 SQ FT CLOTH, APPROX 15' DIA X 35'H, MODEL RTF-23 46" FAN W/TOSHIBA 250 HP/1,770 RPM MOTOR, CLARKES HI-SPEED ABORT GATE, PIPING FROM APPROX 12' LONG NECK CYCLONE, 18" FAN W/25 HP MOTOR, SUTORBILT TYPE 10" X 20" BLOWER W/50 HP MOTOR, (2) STODDARD SILENCERS, PIPING & ELECTRICS (PLANNER)
 APPROX 60-UNIT MONO HYDRAULIC OPERATED CHIP BIN (PLANNER)
 (2) APPROX 30-UNIT HYDRAULIC OPERATED CHIP BINS (HOG AREA)
 APPROX 30-UNIT HYDRAULIC OPERATED CHIP BIN (PLANNER)
 APPROX 40'L X 8'W X 10'H DOUBLE SCREEN LIVE BOTTOM SURGE BIN (BM&M 4' X 8' SCREEN)
 APPROX 10'L X 8'W X 10'H DOUBLE SCREW LIVE BOTTOM SURGE BIN (BM&M 5' X 10' SCREEN)
 APPROX 8'L X 8'W X 12'H SINGLE SCREW LIVE BOTTOM SURGE BIN (ROTEX SCREW)
 APPROX 4' DIA TO 9' DIA CYCLONES, HIGH & LOW PRESSURE BLOWPIPE THROUGHOUT MILL SITE

COMPRESSORS-DRYERS-AIR RECEIVERS

1992 QNW 1000E ROTARY SCREW COMPRESSOR W/200 HP MOTOR (SAWMILL), S/N: 920524
1997 QNW 751D ROTARY SCREW COMPRESSOR W/150 HP MOTOR (SAWMILL), S/N: 970426C
1978 QNW 740B ROTARY SCREW COMPRESSOR W/100 HP MOTOR (PLANNER), S/N: 781129
1996 QNW 241DA ROTARY SCREW COMPRESSOR W/50 HP MOTOR (SAWMILL), S/N: 9602380
1997 PNEUMATECH EE-1500 HEAT ACTIVATED REGENERATIVE AIR DRYER, 1,500 SCFM AT 150-DEGREES, S/N: 9708-521723485636
1994 PNEUMATECH EE-1100 HEATLESS REGENERATIVE AIR DRYER, 1,100 SCFM AT 150-DEGREES, S/N: 9410-S118691-64232
 ASSORTED AIR RECEIVERS & PIPING THROUGHOUT MILL SITE

FILING & GRINDING ROOM EQUIPMENT

WRIGHT MACHINE TALON TW-2 AUTO TIP WELDER, S/N: 10502
WRIGHT 1902-P DUAL BANDSAW SIDE GRINDER, S/N: 011401W1902P
WRIGHT 350HD AUTO DUAL SIDE SHARPENER (RECENT REBUILD), S/N: L0403
ARMSTRONG #4 (4) AUTO BAND SHARPENERS W/LINEAR SLIDES, SHAPE UP ARMS, VS DRIVES, FILING CLAMPS & STANDS, LH S/N'S:14694 & 10188; RH S/N'S:12693 & 10488
ARMSTRONG #5 BANDSAW STRETCHER ROLL W/VS DRIVE, CLAMP, ANVIL, S/N: 17940
ARMSTRONG #5 BANDSAW STRETCHER ROLL W/VS DRIVE, CLAMP, ANVIL, S/N: 4510
ARMSTRONG PROFILE GRINDER, S/N: 20100
ARMSTRONG 3-60C CIRCLE SAW STRETCHER ROLL, S/N: 11987
ARMSTRONG 3-10C CIRCLE SAW STRETCHER ROLL W/LEVELING ATTACHMENT, S/N: 9642
ARMSTRONG #16 CIRCLE SAW SHARPENER, S/N: 10002
IMW 240 DUAL HEAD GUIDE RESURFACER
IMW NO. 700 GUIDE GRINDER
GOCKEL TYPE G50SEL TRAVEL HEAD KNIFE GRINDER W/84" MAGNETIC CHUCK, S/N: 7559
BARNHARDT NO. 51 WHEEL GRINDER W/3 HP FLEX SHAFT & (2) NON-POWERED HEADS, 60" & 40" BARRELS, ARMSTRONG TENSION GAUGE GRINDER, ARMSTRONG #14 SHEAR, KEY KNIFE GRINDER, SPARE ANVILS & CLAMPS, BABBIT POT, GUIDE PRESSES, MITUTOYO 4-1/2" X 24" X 24" GRADE A GRANITE PLATE, MEASURING TOOLS, SPARE BAND & ROUND SAWS, SPARE EDGER & RESAW GUIDES, KEY KNIFE GRINDER

>>>>>BID LIVE OR BID ONLINE<<<<<

1.800.426.3008 - 425.486.1246 - murphyauction.com

**MILL ELECTRICS**

2018 ALLEN BRADLEY CENTERLINE 8-SECTION MCC W/(14) SWITCHES W/(12) POWER FACTOR 755 AC DRIVES TO 100 HP (PLANER)

ALLEN BRADLEY ROCKWELL CENTERLINE 9-SECTION MCC W/(30) SWITCHES, SMG FLEX 300 HP & 150 HP DRIVES, (11) POWERFLEX DRIVES TO 15 HP (PLANER CHIPPER)

ALLEN BRADLEY CENTERLINE 8-SECTION MCC W/(43) SWITCHES (SAWMILL TRIMMER)

ALLEN BRADLEY CENTERLINE 8-SECTION MCC W/(23) SWITCHES, (2) SMC FLEX 200 HP DRIVES, (6) POWERFLEX 700 DRIVES TO 30 HP (RESAW)

ALLEN BRADLEY CENTERLINE 2100 7-SECTION MCC W/(18) SWITCHES & 1,200 AMP MAIN (LPC BUILDING)

ALLEN BRADLEY CENTERLINE 6-SECTION MCC W/(30) SWITCHES, (2) POWER FACTOR DRIVES TO 7-1/2 HP (SAWMILL BASEMENT)

ALLEN BRADLEY ROCKWELL CENTERLINE 6-SECTION MCC W/(16) SWITCHES (DLI BUILDING)

ALLEN BRADLEY ROCKWELL CENTERLINE 6-SECTION MCC W/(14) SWITCHES (DLI BUILDING)

ALLEN BRADLEY CENTERLINE 2100 5-SECTION MCC W/(26) SWITCHES (LPC BUILDING)

ALLEN BRADLEY CENTERLINE 2100 5-SECTION MCC W/(19) SWITCHES (LPC BUILDING)

ALLEN BRADLEY CENTERLINE 5-SECTION MCC W/(19) SWITCHES (PLANER TRIMMER)

ALLEN BRADLEY BULLETIN 4-SECTION MCC W/(11) SWITCHES W/(5) POWERFLEX DRIVES TO 20 HP (PLANER CHIPPER)

ALLEN BRADLEY CENTERLINE 4-SECTION MCC W/(7) SWITCHES (DLI BUILDING)

ALLEN BRADLEY CENTERLINE 3-SECTION MCC W/(14) SWITCHES (PLANER BUILDING)

ALLEN BRADLEY CENTERLINE 2-SECTION MCC W/(9) SWITCHES W/(2) POWERFLEX 755 DRIVES (PACKAGE SAW)

CUTLER HAMMER FREEDOM 2100 SERIES MCC W/(14) SWITCHES W/(14) MITSUBISHI A500 INVERTERS TO 125 HP (LPC BUILDING)

CUTLER HAMMER FREEDOM 2100 SERIES MCC W/(4) SWITCHES W/(4) POWERFLEX DRIVES TO 100 HP (LPC BUILDING)

GE 8000 7-SECTION MCC W/(21) SWITCHES (BOARD EDGER)

GE SPECTRA SERIES 3-SECTION SWITCHBOARD W/(2) 1,200 AMP & (2) 800 AMP SWITCHES (SAWMILL)

CH POW-R-LINE 3-SECTION SWITCHBOARD, 4,000 AMP/480Y-277V (SAWMILL)

GE 3-SECTION SWITCHBOARD, 4,000 AMP/480Y-277V (SAWMILL)

(20) ALLEN BRADLEY PLC'S TO INCLUDE (1) LOGIX 5571 W/(7) MODULES, (1) LOGIX 5571 W/(10) MODULES, (3) LOGIX 5561 W/(30) MODULES, (1) 5/80E W/(25) MODULES, (3) PLC 5/40 W/(35) MODULES, (1) 5/30 W/(10) MODULES, (10) REMOTE STATIONS W/(115) MODULES, (2) ALLEN BRADLEY SM FLEX 200 HP SOFT STARTERS, (41) ALLEN BRADLEY POWERFLEX DRIVES TO 125 HP, (15) MITSUBISHI A500 DRIVES TO 125 HP, (4) SAF SSG DRIVES TO 350 HP, ELECTRICAL STORES, WIRE & CONDUIT LOT

CRANES

MILWAUKEE 3-TON RATED UNDERSLUNG BRIDGE CRANE W/BUDGIT 3-TON ELECTRIC CHAIN HOIST, APPROX 48' SPAN X 70' RAILS, POWER TRAVEL, REMOTE CONTROL (LPC BUILDING)

MILWAUKEE 3-TON RATED UNDERSLUNG BRIDGE CRANE W/HARRINGTON 3-TON ELECTRIC CHAIN HOIST, APPROX 25' SPAN X 40' RAILS, POWER TRAVEL, REMOTE CONTROL (LPC BUILDING)

TRANSFERS-CONVEYORS-ROLLCASES

LUMBER TRANSFERS TO 80'

CONVEYORS TO 110'

ROLLCASES TO 34'

MISCELLANEOUS EQUIPMENT

YATES 24' TRIPLE PINEAPPLE FEED TABLE; YATES 13' LIVE BRIDGE; 12' 5-ARM MECHANICAL 300 HP HYDRAULIC UNIT; LSI 20' OVER END STACKER; 60" 12-BLADE FAN; (50+) SQUARE TUBE KILN CARTS; ASSORTED TRANSFERS, CONVEYORS & ROLLCASES; ASSORTED HYDRAULIC UNITS; STEEL RACKS; (300) CONCRETE BARRIERS; STICKER, LUMBER & YARD BUNKS; SELF-DUMPING HOPPERS (BONEYARD)

**SHOP-STORES**

CLIMAX KEY MILL; (2) METAL BANDSAWS; MILL DRILL; (2) DRILL PRESSES; PIPE THREADER; SHOP PRESS; ALKOTA PARTS WASHER; (15) WELDERS; JOB BOX; (2) PALLET RACKS; HOSE CRIMPER & SAW; OIL TRANSFER CART; TANK MOUNTED COMPRESSORS; FANS; HOSE REELS; CHAIN HOISTS; COME-ALONGS; RIGGING; LADDERS; PUMPS; STEEL TABLE; FLAMMABLES CABINETS; HOSE REELS; GRINDERS; POWER & HAND TOOLS; UNUSED CHAIN IN BOXES; TEMPOSONIC VALVES & WANDS; BEARINGS; VALVES; HUBS; VALVES; BELTS; CYLINDERS; ROLL; SPROCKETS; UHMW; PIPE; STEEL STOCK; NUTS & BOLTS

ITEMS LOCATED IN GLIDE, OR

WELLONS (2) 40' X 66' DOUBLE TRACK KILNS & (2) 18' X 66' SINGLE TRACK KILNS W/(6) 6" INDIVIDUALLY MOTORIZED FANS PER KILN, (4) ALLEN BRADLEY POWERFLEX 700 DRIVES, WELLONS CONTROLS, 8' X 40' CONTROL HOUSE, 3-1/2" COILS, CONDENSATE TANK, PIPING, ALL ELECTRICS, KILN RAIL & CARTS

WELLONS WOOD FIRED HIGH PRESSURE BOILER, 25 HP FD FAN, 15 HP ID FAN, FEED WATER PUMPS, WATER MAKE UP SYSTEM, ZURN FLY ASH SYSTEM, WELLONS CONTROLS, WELLONS APPROX 30-UNIT FUEL SILO W/APPROX 100' 2-STRAND BOX CHAIN CONVEYOR W/SKK GEARHEAD, INFEED AUGER, BUILDING

APPROX 15-UNIT BARK BIN W/APPROX 80' 480 BOX CHAIN CONVEYOR W/SKK GEARHEAD MOTOR

APPROX 60' BOX CHAIN CONVEYOR FROM HOG BIN TO FUEL SILO

APPROX 10,000 GALLON SELF-CONTAINED DIESEL TANK

ROLLING STOCK

2006 SENNEBOGEN 825 RUBBER TIRE MATERIAL HANDLER LOG LOADER W/DEUTZ BF6M1013 6-CYLINDER 150 KW DIESEL ENGINE, MYRMO ROTARY LOG GRAPPLES, 45' BOOM MAX REACH, (8) SOLID 10.00-20 TIRES, OUTRIGGERS, HOUR METER READS: 16,719, S/N: 8250628

1980 CAT 988B LOG LOADER, S/N: 50W05156-018

1998 HYSTER H230XL 23,600 LB CAPACITY FORKLIFT, DIESEL, MONOTROL, 183" 2-STAGE MAST W/FORK POSITIONERS, SIDE SHIFT, 15" X 48" FORKS, DUAL SOLID TIRES, HOUR METER READS: 6,714, S/N: E007D03540V

2001 HYSTER H210HD 19,050 LB CAPACITY FORKLIFT, DIESEL, MONOTROL, 183" 2-STAGE MAST W/FORK POSITIONERS, SIDE SHIFT, 15" X 48" FORKS, DUAL SOLID TIRES, HOUR METER READS: 12,587, S/N: F007E01658Y

2001 HYSTER H210HD 19,050 LB CAPACITY FORKLIFT, DIESEL, MONOTROL, 183" 2-STAGE MAST W/FORK POSITIONERS, SIDE SHIFT, 15" X 48" FORKS, DUAL SOLID TIRES, HOUR METER READS: 34,416, S/N: F007E01660Y

2004 HYSTER H190HD 16,050 LB CAPACITY FORKLIFT, DIESEL, 212-1/2" 2-STAGE MAST, FORK POSITIONERS, SIDE SHIFT, 15" X 54" FORKS, DUAL SOLID TIRES, HOUR METER READS: 14,058, S/N: G007E01740B

1998 HYSTER H190XL 15,800 LB CAPACITY FORKLIFT, DIESEL, 286.6" 2-STAGE MAST, FORK POSITIONERS, SIDE SHIFT, 15" X 48" FORKS, DUAL SOLID TIRES, HOUR METER READS: 8,915, S/N: E007D03648V

(3) 1994 HYSTER H190XL 19,000 LB CAPACITY FORKLIFTS, DIESEL, MONOTROL, 183" 2-STAGE MAST, FORK POSITIONERS, SIDE SHIFT, 15" X 54" FORKS, DUAL SOLID TIRES, S/N:E007D02735T, HOUR METE READS:1,190; S/N:E007D1754R, HOUR METER READS:6,277; S/N:E007D1758R, HOUR METER READS: 9,401

1999 HYSTER H155XL2 14,400 LB CAPACITY FORKLIFT, DIESEL, 212" 2-STAGE MAST, 10" X 48" FORKS, SIDE SHIFT, SOLID TIRES, HOUR METER READS: 7,387, S/N: F006D05791X

1995 HYSTER H80XL 7,500 LB CAPACITY FORKLIFT, PROPANE, MONOTROL, 171-1/2" 3-STAGE MAST, SIDE SHIFT, 9" X 48" FORKS, SOLID TIRES, HOUR METER READS: 3,100+, S/N: G005D005283

>>>>> BID LIVE OR BID ONLINE <<<<<

1.800.426.3008 - 425.486.1246 - murphyauction.com



FOR SALE BY PRIVATE TREATY

(PLEASE CALL JEFF REMINGTON AT 541-832-1194 FOR DETAILS)

USNR DOUBLE LENGTH INFEED W/SLEW, SKEW & TILT, 4-SIDED CANTER & 6' L&B QUAD BANDMILLS, PORTER SCANNER & RECENT CONTROL LOGIC PROCESSOR UPGRADE

USNR TRANSVERSE HIGH GRADE SCANNER W/TRUE READ GRADE MARK READER

2019 CARBOTECH 20' LINE SHAFT TRIMMER, NEVER INSTALLED





TERMS AND CONDITIONS

10% BUYERS PREMIUM ON ALL ITEMS - 15% BUYERS PREMIUM ON ALL ONLINE BIDS

DUE TO INSURANCE AND SAFETY REASONS, CHILDREN UNDER 12 CANNOT BE ADMITTED

PAYMENT: FULL PAYMENT MUST BE MADE BY NO LATER THAN 3:00PM, THURSDAY, AUGUST 8TH. PAYMENT MUST BE MADE BY CASH, CASHIERS CHECK, WIRE TRANSFERS, MASTERCARD OR VISA ONLY. CHECKS ARE ACCEPTED ONLY WITH BANK LETTER OF GUARANTEE.

REMOVAL: NO PURCHASES MAY BE REMOVED DURING THE AUCTION UNLESS ANNOUNCED BY THE AUCTIONEER. SMALL ITEMS MUST BE REMOVED BY 4:00PM FRIDAY, AUGUST 16TH. ALL EQUIPMENT MUST BE REMOVED NO LATER THAN 5:00 PM, FRIDAY, NOVEMBER 8TH. (REMOVAL DEADLINES MAY BE MODIFIED BY AUCTIONEER'S ANNOUNCEMENT).
REMOVAL HOURS: 8:00 AM – 4:00 PM, MONDAY THROUGH FRIDAY. NO WEEKEND OR HOLIDAY REMOVAL.

UPON AWARD OF BID DISMANTLERS TAKE RESPONSIBILITY FOR ANY ENVIRONMENT ISSUES THEY CREATE (E.G. SPILLED HYDRAULIC OIL). DISMANTLERS ARE REQUIRED TO PROVIDE THEIR OWN MATERIALS TO CONTAIN & CLEAN UP ANY OIL SPILLAGE.

INSURANCE: DISMANTLERS, CONTRACTORS OR BUYERS REMOVING EQUIPMENT ARE REQUIRED TO PROVIDE \$1,000,000.00 DOLLAR GENERAL LIABILITY INSURANCE CERTIFICATE SHOWING THE JAMES G. MURPHY COMPANY AND SWANSON GROUP AS THE ADDITIONAL INSURED PARTIES. INSURANCE CERTIFICATE AND PROOF OF WORKMEN'S COMPENSATION COMPLIANCE MUST BE ON FILE AT SALE SITE WITH THE JAMES G. MURPHY CO. BEFORE DISMANTLING COMMENCES.

PURCHASED LOTS ARE AT THE BUYER'S RISK. IT IS THE RESPONSIBILITY OF THE BUYER TO PROVIDE ADEQUATE PROPERTY INSURANCE COVERAGE FOR THE ITEMS PURCHASED AND BUYER'S OWN EQUIPMENT AT THE AUCTION SITE.

FIRE PROTECTION POLICY:

- NO CUTTING WITHOUT A PERMIT.
- DISMANTLERS REQUIRED TO PROVIDE THEIR OWN FIRE HOSE & SPRAY NOZZLES.
- A SIGNED BURNING PERMIT ISSUED TO DISMANTLERS WILL BE DISPLAYED IN CUTTING AREA.
- A LIMITED NUMBER OF BURNING PERMITS WILL BE ISSUED. ONE BURNING PERMIT PER HOSE WHILE CUTTING.
- EACH MAN USING A CUTTING TORCH WILL HAVE ONE FIREWATCH WITH A HOSE WHILE CUTTING.
- FIREWATCH TO WET DOWN BEFORE, DURING AND AFTER CUTTING.
- FIREWATCH TO STAY IN AREA ONE HOUR AFTER CUTTING IS COMPLETED.
- CUTTING HOURS ARE FROM 7:00AM TO 3:00PM.

WARRANTY DISCLAIMER: ALL SALES ARE FINAL. ALL ITEMS ARE BEING SOLD "AS IS, WHERE IS," WITH ALL FAULTS AND WITHOUT ANY WARRANTIES AS TO MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE. THE PRINCIPAL, THE AUCTIONEER, THE ADVERTISING COORDINATOR, AND ANY OF THEIR AGENTS MAKES NO EXPRESS OR IMPLIED WARRANTIES OF ANY TYPE. COMPLETE TERMS AND CONDITIONS OF SALE WILL BE AVAILABLE AT THE TIME OF SALE. ALL INFORMATION WAS OBTAINED FROM SOURCES DEEMED RELIABLE. ALTHOUGH EVERY PRECAUTION HAS BEEN TAKEN TO ENSURE ACCURACY, THE PRINCIPAL, THE JAMES G. MURPHY CO., THE ADVERTISING COORDINATOR, AND ALL OF THEIR AGENTS SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS THEREIN. IT IS FOR THIS REASON THAT WE RECOMMEND THAT ALL ITEMS BE THOROUGHLY INSPECTED PRIOR TO THE POINT OF SALE.

ANNOUNCEMENTS MADE BY THE AUCTIONEER AT THE TIME OF SALE TAKE PRECEDENCE OVER PRINTED MATTER.
AUCTIONEER RESERVES THE RIGHT TO SELL ACCESSORIES, PARTS OR ATTACHMENTS ON A SEPARATE AND/OR AGGREGATE BASIS

ABSENTEE BIDS: ABSENTEE BIDS WILL BE ACCEPTED WITH 25% DEPOSIT. ABSENTEE BIDS UNDER \$100.00 ARE NOT ACCEPTED.

PUBLIC AUCTION - WED, AUGUST 7



1980 CAT 988B



James G. Murphy Co.

Commercial & Industrial Auctioneers
P.O. Box 82160, Kenmore, WA 98028

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
SEATTLE, WA
PERMIT NO. 963



425.486.1246
murphyauction.com



James G. Murphy Co.

Commercial & Industrial Auctioneers



PUBLIC AUCTION

**Swanson
Group** 

**SAWMILL, PLANER MILL
& ROLLING STOCK**

9AM - WEDNESDAY - AUGUST 7

PREVIEW 8-PM, TUESDAY, AUGUST 6

2695 GLENDALE VALLEY RD., GLENDALE, OR 97442

>>>>> BID LIVE OR BID ONLINE <<<<<

1.800.426.3008 - 425.486.1246 - murphyauction.com