

# LIVE AUCTION CATALOG

## CONTRACTORS EQUIPMENT & VEHICLE AUCTION

9 am – Saturday – October 12, 2019

Preview: Friday 8 am to 5 pm

18226 68<sup>th</sup> Avenue NE • Kenmore, WA 98028

Site Phone: (425) 486-1246

### TERMS AND CONDITIONS

**NO BUYERS PREMIUM ON IN-PERSON BIDS**

**5% BUYERS PREMIUM ON ALL ONLINE BIDS**

Due to safety issues: **no children under 12, and no pets allowed** (except service dogs as defined by the ADA)

**ALL SALES ARE FINAL upon award of bid by auctioneer.**

**TITLED VEHICLES:** Washington State residents, who are not motor vehicle dealers, must pay Washington State sales tax plus any applicable title or license fees on the purchase of titled vehicles. Out of state residents must meet all requirements to be exempt from sales tax. (**General sales tax is 10%, Sales tax on motor vehicles is 10.3%**) \*MILEAGE STATED IN CATALOG IS THE ODOMETER READING, THAT MILEAGE MAY NOT BE THE ACTUAL MILEAGE OF THE VEHICLE

**DOC FEE ON TITLED VEHICLES:** A \$100.00 documentary service fee will be charged on each vehicle purchased. (Trucks, cars, vans, buses, motorcycles, boats & trailers). *The maximum charge allowed for documentary service fee is \$150, because the selling price is determined by competitive bidding, a \$100 documentary service fee is deemed negotiated at time of bidding.*

**A \$300 CASH DEPOSIT IS REQUIRED UPON AWARD OF BID ON ALL CARS, PICKUPS & VANS.**

**OUT OF STATE BUYERS: YOUR DRIVER'S LICENSE WILL NO LONGER EXEMPT YOU FROM TAX.**

**PAYMENT:** A 25% deposit is required on date of sale. Full payment must be made **no later than 5 pm, Tuesday following the auction.** Payments may be made auction day or between 8 am and 5 pm, Monday or Tuesday. Payment must be made by cash, cashier's check, MasterCard or Visa. Personal or Company Checks accepted **ONLY** with letter of guarantee from the bank. **Failure to pay for ALL items purchased may result in legal action and will result in forfeiture of ALL deposits.**

**REMOVAL:** There will be no removal during the auction unless otherwise announced by the auctioneer. **No purchases may be removed until ALL purchases are paid for.** All items (except as noted) must be removed no later than 5:00p.m., Thursday, October 17th. Yard hours: 8:00 am to 5:00 pm, Monday through Friday. James G Murphy Co. will, **at the sole risk of the buyer**, assist in loading out non-rolling stock. **ITEMS NOT REMOVED BY DEADLINE MAY BE SUBJECT TO STORAGE CHARGES.**

**WARRANTY DISCLAIMER:** ALL SALES ARE FINAL. All items are being sold "As Is, Where Is", with all faults and without any warranties as to merchantability of fitness for a particular purpose. The principal, the auctioneer, the advertising coordinator, and any of their agents make no express or implied warranties of any type.

Complete terms and conditions of sale will be available at the time of sale. All information was obtained from sources deemed reliable. Although every precaution has been taken to ensure accuracy, the principal, the James G. Murphy Co., the advertising coordinator and all their agents shall not be responsible for any errors or omissions therein. It is for this reason that we recommend that all items be thoroughly inspected prior to the point of sale. Announcements made by the auctioneer at the time of sale take precedence over printed matter. Auctioneer reserves the right to sell accessories, parts or attachments on a separate and/or aggregate basis.

**ABSENTEE BIDS IN-PERSON:** Absentee bids will be accepted with 25% deposit. Bids under \$100.00 are not accepted. For complete rules regarding absentee bids contact the auction office.

**ONLINE BIDS: Failure to award bid:** Online bidders will not have any claim against the James G. Murphy Co. for failure to submit bids to the auctioneer or any error on the bidding platform. In some instances, the bidding platform may show an item awarded to an online customer; however, we reserve the right to withdraw a bid awarded in error.

**James G. Murphy Co.**

P.O. Box 82160, Kenmore, Washington 98028

(425) 486-1246 or 1-800-426-3008, Fax: (425) 483-8247

[www.murphyauction.com](http://www.murphyauction.com)

Washington Auctioneer's License #1960

# AUCTION SCHEDULE

## OCTOBER 12, 2019

LOT#	START TIME	AUCTION ITEMS
<b>RING 1 STARTS WITH EQUIPMENT DRIVE-THRU AT 9AM:</b>		
1 - 145	RING 1 9:00	HEAVY EQUIPMENT, TRUCKS & BUSES
<b>RING 2 STARTS AT AUCTION TRUCK (AFTER LOT 145):</b>		
201 – 321	RING 2 11:30*	MANLIFTS, BOATS, JET SKIS, COMPRESSORS, LIGHT TOWERS, CHIPPERS, CONTAINERS, MOBILE RESTROOMS, VEHICLES SOLD IN PLACE & TRAILERS
<b>RING 1 CONTINUES INSIDE WAREHOUSE:</b>		
345 - 557	RING 1 11:30*	MOTORCYCLES, CLASSIC CARS, PASSENGER VEHICLES, SUVs, PICKUP TRUCKS & VANS

### ONLINE:

601 – END	BID ONLINE	TOOLS & CONTRACTORS SUPPLIES (ONLINE ITEMS IN SEPARATE CATALOG)  ONLINE ONLY AUCTION ENDS TUESDAY, OCT. 15TH
-----------	---------------	---

**\*Approximate Times**

- 1 1 each -  
**2006 JOHN DEERE  
GATOR HPX**  
4X4 UTILITY VEHICLE, YANMAR  
3TNV70-XJUV, CVT, HYD DUMP  
BOX, CANOPY  
HOUR METER READS: 1,096  
s/n: M0HP4DX043963
- 
- 2 1 each -  
**2010 VANT**  
UTILITY TRUCK, 7' BED, 4 CYL,  
4 SPD  
s/n: LFWA1F12X9JB00013  
ODOMETER READS: 16,148
- 
- 4 1 each -  
**2008 JOHN DEERE 1600  
TURBO**  
4WD 3-DECK ROTARY MOWER,  
YANMAR 4TNV84T-D, HYDROSTATIC  
CANOPY  
HOUR METER READS: 2,551  
s/n: TC1600T060685
- 
- 5 1 each -  
**2007 JOHN DEERE 1565  
SERIES II**  
4WD 72" ROTARY FRONT MOWER,  
3 CYL DIESEL, HYDROSTATIC  
HOUR METER READS: 1,016  
s/n: TC1565D060145
- 
- 6 1 each -  
**2001 JOHN DEERE  
1445**  
4WD 60" ROTARY FRONT MOWER,  
4 CYL DIESEL, HYDROSTATIC  
HOUR METER READS: 1,080  
s/n: TC1445D010154
- 
- 7 1 each -  
**TORO  
328D**  
4WD 72" ROTARY FRONT MOWER,  
KUBOTA D1105, HYDROSTATIC  
HOUR METER READS: 1,670  
s/n: 30627260000218
- 
- 8 1 each -  
**2008 STEINER  
430-21D**  
4WD ARTICULATING TRACTOR,  
60" ROTARY FRONT MOWER,  
KUBOTA D722, HYDROSTATIC,  
AUX HYD  
HOUR METER READS: 849  
s/n: 75700080435
- 
- 9 1 each -  
**2008 HARPER DEWEZE  
72LC**  
ALL TERRAIN 72" ROTARY MOWER,  
YANMAR 3TNV82A-DSA2,  
HYDROSTATIC, CANOPY  
HOUR METER READS: 1,104  
s/n: 72LC04A41
- 
- 10 1 each -  
**JACOBSEN GREENS  
KING 4**  
3-GANG REEL MOWER, 16 HP  
BRIGGS & STRATTON,  
HYDROSTATIC (HOUR METER  
REPLACED AT 1,770 HRS, TOTAL  
HOURS APPROX 3,541)  
HOUR METER READS: 1,771  
s/n: 62287-1900
- 
- 11 1 each -  
**JACOBSEN GREENS  
KING 4**  
3-GANG REEL MOWER, 16 HP  
BRIGGS & STRATTON, HYDROSTATIC  
HOUR METER READS: 4,250  
s/n: 62257-4874
- 
- 12 1 each -  
**2000 TORO SAND PRO  
5020**  
3WD BUNKER RAKE, 2 CYL  
HOUR METER READS: 1,891  
s/n: 0881490704
- 
- 14 1 each -  
**DOOSAN  
G-30P-5**  
5,500 LB SOLID CUSHION TIRE  
FORKLIFT, 186" FORK HEIGHT,  
3-STAGE MAST, SIDE SHIFT,  
4 CYL PROPANE  
HOUR METER READS: 1,835  
s/n: FGA0C-1290-01495
- 
- 15 1 each -  
**1990 YALE  
C500-Y560**  
6,000 LB DUAL PNEUMATIC TIRE  
FORKLIFT, 124" FORK HEIGHT,  
2-STAGE MAST, 4 CYL PROPANE  
HOUR METER READS: 748  
s/n: Y3503495466FA
- 
- 16 1 each -  
**1992 CLARK  
C500YSS0**  
8,000 LB SOLID CUSHION TIRE  
FORKLIFT, 170" FORK HEIGHT,  
3-STAGE MAST, SIDE SHIFT,  
4 CYL PROPANE  
HOUR METER READS: 4,677  
s/n: Y68501729125K0F
- 
- 17 1 each -  
**TCM  
FG15N17C**  
3,000 LB SOLID CUSHION TIRE  
FORKLIFT, 130" FORK HEIGHT,  
2-STAGE MAST, 4 CYL  
PROPANE/GAS  
HOUR METER READS: 4,790  
s/n: A10F1466
- 
- 18 1 each -  
**1975 HYSTER  
H200H**  
DUAL PNEUMATIC 20,000 LB  
FORKLIFT, 145" FORK HEIGHT,  
2-STAGE MAST, FORK  
POSITIONERS, SIDESHIFT,  
PERKINS 6 CYL DIESEL, CAB  
HOUR METER READS: 1,769  
s/n: C007D00Z296F
- 
- 19 1 each -  
**2004 GRADALL  
544D-10**  
4X4 10,000 LB TELESCOPIC  
FORKLIFT, 54' 4-SECTION BOOM,  
HYD WINCH, BALL HOOK,  
OUTRIGGERS, JOHN DEERE POWER  
TECH 4.5, CANOPY, 14:00-24TG,  
HOUR METER READS: 3,609  
s/n: 0160003048
- 
- 20 1 each -  
**2005 TEREX  
TH844C**  
4X4X4 8,000 LB TELESCOPIC  
FORKLIFT, 44' 3-SECTION BOOM,  
JD POWER TECH 4.5, CANOPY,  
14.00R24  
\*HOUR METER REPLACED AT 5,674  
HOURS\* HOUR METER READS: 90  
s/n: 6476
- 
- 21 1 each -  
**2005 GEHL  
RS5-34**  
4X4X4 6,000 LB TELESCOPIC  
FORKLIFT, 34' 3-SECTION BOOM,  
JD 4.5 POWER TECH, CANOPY,  
15-19.5  
HOUR METER READS: 3,443  
s/n: RS5JW0812213
- 
- 22 1 each -  
**2007 GEHL  
RS5-19**  
4X4X4 5,000 LB TELESCOPIC  
FORKLIFT, 19' 2-SECTION BOOM,  
DEUTZ TD2009L04, CANOPY,  
12-16.5  
HOUR METER READS: 2,547  
s/n: 1R519DY0250134
- 
- 24 1 each -  
**2003 JOHN DEERE  
4710**  
MFWD TRACTOR, 43.6 HP YANMAR  
4TNE88, 12F/12R POWER SHUTTLE,  
JD 480 LOADER BUCKET, (2)  
REMOTES, PTO, 3 POINT  
HOUR METER READS: 1,918  
s/n: LV4710P175947
- 
- 25 1 each -  
**2001 KUBOTA  
B7500D**  
MFWD TRACTOR, 30 HP V1505E,  
6F/2R, LA272 LOADER BUCKET,  
PTO, 3 POINT  
HOUR METER READS: 948  
s/n: 30872
- 
- 27 1 each -  
**2000 CAT  
228**  
SKID STEER LOADER, 58 HP  
3034, HIGH FLOW, AUX HYD,  
QC BUCKET, CANOPY  
HOUR METER READS: 1,789  
s/n: 6BZ00396
- 
- 28 1 each -  
**2002 BOBCAT  
S300**  
SKID STEER LOADER, 81 HP,  
KUBOTA V3300-DI-T, 2 SPD HYD,  
QC BUCKET, A/C CAB  
DIGITAL HOUR METER NO READOUT  
s/n: 521511220
- 
- 29 1 each -  
**2004 BOBCAT  
S300**  
SKID STEER LOADER, 81 HP  
KUBOTA V3300-DI-T, 2 SPD HYD,  
A/C CAB  
HOUR METER READS: 2,827  
s/n: 525811441

30 1 each -  
**2004 CAT  
246**  
SKID STEER LOADER, 74 HP 3034T  
AUX HYD, QC GRAPPLE BUCKET,  
CAB  
HOUR METER READS: 2,772  
s/n: CAT00246K5S208194

---

31 1 each -  
**2005 CAT  
236B**  
SKID STEER LOADER, 73 HP  
3044DIT, AUX HYD, QC GRAPPLE  
BUCKET, CANOPY  
HOUR METER READS: 2,048  
s/n: CAT0236BTHEN01924

---

32 1 each -  
**2004 CAT  
232**  
SKID STEER LOADER, 51 HP 3024C  
AUX HYD, QC GRAPPLE BUCKET,  
CANOPY (DIGITAL/NO READOUT)  
s/n: CAT00232LCAB01153

---

33 1 each -  
**1993 BOBCAT  
753**  
SKID STEER LOADER, 43.5 HP  
KUBOTA, V2203-EB, QC BUCKET,  
CANOPY  
HOUR METER READS: 3,471  
s/n: 511351046

---

35 1 each -  
**2001 KOMATSU  
WA180-3PT**  
INTEGRATED TOOL CARRIER,  
112 HP S6D102-E1, 4F/4R  
POWER SHIFT, QC 95" GP BUCKET,  
CAB, 17.5R25  
HOUR METER READS: 2,607  
s/n: WA1883PTA85284

---

36 1 each -  
**1997 JOHN DEERE  
544H**  
WHEEL LOADER, 138 HP 6068T,  
4F/3R POWER SHIFT, CWP 100"  
GP BUCKET, CAB, 20.5-25  
HOUR METER READS: 4,375  
s/n: DW544HX562680

---

37 1 each -  
**2007 KOMATSU  
WA320-5L**  
WHEEL LOADER, 166 HP  
SAA6D102E-2-A, 4F/4R, CWS  
QC 106" GP BUCKET, A/C CAB,  
20.5R25  
HOUR METER READS: 15,241  
s/n: A33046

---

38 1 each -  
**2012 VOLVO  
L110G**  
WHEEL LOADER, WASTE HANDLER  
PACKAGE, 263 HP D8H, 4F/4R,  
126" BUCKET, A/C CAB  
HOUR METER READS: 14,579  
s/n: VCEL110GP00008306

---

40 1 each -  
**2008 JOHN DEERE  
410J**  
4X4 BACKHOE, 96 HP 4045T,  
4F/3R POWERSHIFT, 4 IN 1  
LOADER BUCKET, EXTENDAHOE,  
HYD THUMB, AUX HYD, QC  
CLEANOUT BUCKET, A/C CAB  
HOUR METER READS: 4,345  
s/n: T0410JX167596

---

41 1 each -  
**1997 JOHN DEERE  
310E**  
4X4 BACKHOE, 76 HP 4045D,  
4F/4R COLLAR SHIFT, AUX HYD,  
CANOPY  
HOUR METER READS: 4,546  
s/n: T0310EX837325

---

42 1 each -  
**1992 CASE 580  
SUPER K**  
BACKHOE, 70 HP 4-390 DIESEL,  
4F/4R, EXTENDAHOE, HYD THUMB,  
QC 22" BUCKET, CAB  
HOUR METER READS: 5,580  
s/n: JJG0167289

---

43 1 each -  
**1985 JOHN DEERE  
410B**  
BACKHOE, 66 HP 4-219D, 4F/4R,  
4-IN-1 LOADER BUCKET,  
EXTENDAHOE, CAB  
HOUR METER READS: 3,592  
s/n: T0410BB712885

---

44 1 each -  
**1972 CASE  
580B**  
BACKHOE, 48 HP C-188, 4F/4R,  
CANOPY  
HOUR METER READS: 3,533  
s/n: 5232948

---

46 1 each -  
**2014 KUBOTA  
U35-4**  
MINI EXCAVATOR, D1703, SWING  
BOOM, HYD THUMB, QC BUCKET,  
ANGLE BLADE, RUBBER TRACKS,  
CANOPY  
HOUR METER READS: 980  
s/n: 10940

---

47 1 each -  
**2012 JOHN DEERE  
35D**  
MINI EXCAVATOR, 29.9 YANMAR  
3TNV88, SWING BOOM, HYD  
THUMB, QC BUCKET, BLADE,  
RUBBER TRACKS, CANOPY  
HOUR METER READS: 2,250  
s/n: 1FF035DXKCG268468

---

48 1 each -  
**2006 YANMAR  
VIO70-3**  
HYDRAULIC EXCAVATOR,  
4TNV98-XBV, SWING BOOM, HYD  
THUMB, QC BUCKET, BLADE, A/C  
CAB  
HOUR METER READS: 3,817  
s/n: YMRVIO70H6YY30946

---

49 1 each -  
**1998 CAT  
312BL**  
HYDRAULIC EXCAVATOR, 84 HP  
3064T, 9'10" STICK, HYD THUMB,  
QC 36" BUCKET, CAB  
HOUR METER READS: 8,409  
s/n: 8JR01202

---

50 1 each -  
**1995 JOHN DEERE  
490E**  
HYDRAULIC EXCAVATOR, 90 HP  
4045T, 9'10" STICK, HYD THUMB,  
QC 36" BUCKET, CAB  
HOUR METER READS: 6,482  
s/n: FF490EX025841

---

51 1 each -  
**1998 JOHN DEERE  
450LC**  
HYDRAULIC EXCAVATOR, 285 HP  
6101A, 12'7" STICK, HYD THUMB,  
AUX HYD, 44" DIGGING BUCKET,  
PIN GRABBER, CAB  
HOUR METER READS: 17,331  
s/n: FF0450X090223

---

52 1 each -  
**2006 HITACHI  
ZX330LC-3**  
HYDRAULIC EXCAVATOR, ISUZU  
AA-6HK1X, 10'5" STICK, PIN  
GRABBER, 36" BUCKET, A/C CAB  
HOUR METER READS: 10,476  
s/n: HCM1V700C00051092

---

53 1 each -  
**1997 CAT D5C  
SERIES III**  
CRAWLER DOZER, 90 HP 3046T,  
3F/3R, 6-WAY BLADE, ALLIED  
W3C WINCH W/ARCH, CANOPY  
W/SWEEPS  
HOUR METER READS: 4,017  
s/n: 9DL01978

---

54 1 each -  
**2001 CASE  
550H-LT**  
CRAWLER DOZER, 75 HP 4-390,  
4F/4R, 6-WAY BLADE, CANOPY  
W/SWEEPS  
HOUR METER READS: 3,424  
s/n: JJG0298100

---

55 1 each -  
**1986 CAT  
D3B**  
CRAWLER DOZER, 65 HP 3204,  
3F/3R POWERSHIFT, 6 WAY BLADE,  
CANOPY  
HOUR METER READS: 4,602  
s/n: 27Y04043

---

56 1 each -  
**1990 JOHN DEERE  
670B**  
MOTOR GRADER, 135 HP 6068T,  
8F/4R POWER SHIFT, 12' MOLD  
BOARD, SCARIFIER, A/C CAB,  
14:00R24  
HOUR METER READS: 789  
s/n: DW670BX527621

---

- 57 1 each -  
**TEREX  
TS18**  
PUSH/PULL SCRAPER, DETROIT  
8V71 FRONT, 6V71 REAR,  
29.5X35  
HOUR METER READS: 4,405  
s/n: 60458
- 
- 58 1 each -  
**TEREX  
TS18**  
PUSH/PULL SCRAPER, DETROIT  
8V71 FRONT, 6V71 REAR,  
29.5X35  
HOUR METER READS: 9,063
- 
- 60 1 each -  
**2001 PETERBILT  
378**  
TRI/A, DUMP TRUCK, 16'5" STEEL  
BOX, TARP SYSTEM, 475 HP,  
CAT C-15, 18 SPD, CHALMERS  
SUSPENSION, 224" W/B,  
14,600 LB FRONT, 46,000 LB  
REARS, DBL LOCKERS RATIO,  
DROP AXLE  
s/n: 1NPFLBEX61D560157  
ODOMETER READS: 159,803
- 
- 61 1 each -  
**2000 PETERBILT  
378**  
TRI/A DUMP TRUCK, 16' STEEL  
BOX, TARP SYSTEM, 475 HP CAT  
3406E, 18 SPD, SPRING BEAM  
SUSPENSION, 222" W/B,  
14,600 LB FRONT, 46,000  
REARS, DOUBLE LOCKERS, DROP  
AXLE, PLUMBED FOR PUP  
s/n: 1NPFLBOX5YD516619  
ODOMETER READS: 526,923
- 
- 62 1 each -  
**1995 PETERBILT  
357**  
TRI/A DUMP TRUCK, 15'5"  
STEEL BOX, TARP SYSTEM,  
355 HP, CAT 3406, 18 SPD,  
BLOCK BEAM SUSPENSION, 200"  
W/B, 14,000 LB FRONT, 40,000  
LB REARS, DROP AXLE  
s/n: 1XPALB9XXSN380931  
ODOMETER READS: 349,819
- 
- 63 1 each -  
**1997 FREIGHTLINER**  
TRI/A DUMP TRUCK, 15'5" STEEL  
BOX, TARP SYSTEM, 355 HP,  
CAT 3406, 18 SPD, CHALMERS  
SUSPENSION, 202" W/B,  
14,000 LB FRONT, 40,000 LB  
REARS, DROP AXLE  
s/n: 1FV4FSYBXVP698606  
ODOMETER READS: 123,215
- 
- 64 1 each -  
**1997 MACK  
CL713**  
TRI/A DUMP TRUCK, 15'10"  
STEEL BOX, CAMELBACK  
SUSPENSION, 203" W/B, 20,000  
LB FRONT, 38,000 LB REARS,  
DROP AXLE, PLUMBED FOR PUP  
s/n: 1M2AD62C5VVW005391  
ODOMETER READS: 330,122
- 
- 65 1 each -  
**1987 FREIGHTLINER**  
T/A DUMP TRUCK, 15' STEEL BOX,  
CAT 3406, 9 SPD, 206" W/B  
s/n: 1FUYYSYB8HP310020  
ODOMETER READS: 606,613
- 
- 68 1 each -  
**2005 FREIGHTLINER  
M2**  
DUMP TRUCK, 12'5" STEEL BOX,  
TARP SYSTEM, 300 HP CAT C7,  
AUTO, DROP AXLE  
s/n: 1FVACYDC85HV02782  
ODOMETER READS: 85,395
- 
- 69 1 each -  
**2005 FREIGHTLINER  
M2**  
DUMP TRUCK, 12' STEEL BOX,  
TARP SYSTEM, 300 HP CAT C-7,  
AUTO, DROP AXLE  
(STEERING GEAR PROBLEMS)  
s/n: 1FVACYDC85HV02783  
ODOMETER READS: 107,393
- 
- 71 1 each -  
**1998 FREIGHTLINER**  
DAY CAB, TRACTOR, 475 HP CAT  
3406, 13 SPD, 236" W/B,  
14,000 LB FRONT, 44,000 LB  
REARS, DROP AXLE, SLIDER  
s/n: 1FUBFXBY9WP906016  
ODOMETER READS: 115,342
- 
- 72 1 each -  
**2010 VOLVO  
VNL64T**  
TRI/A DAY CAB, TRACTOR,  
500 HP CUMMINS ISX 500,  
18 SPD, AIR SUSPENSION, 222"  
W/B, 14,000 LB FRONT,  
40,000 LB REARS, DROP AXLE,  
SLIDER  
(COUNTY DISCLAIMER: BAD TURBO)  
s/n: 4V4N99TJ5AN290233  
ODOMETER READS: 52,876
- 
- 73 1 each -  
**1989 KENWORTH  
T800**  
T/A DAY CAB, TRACTOR, CAT  
3406B, 18 SPD, 8 BAG  
SUSPENSION, 46,000 LB REARS,  
WET KIT, SLIDER, DOUBLE FRAME  
s/n: 1XKDDBOX8KS524801  
ODOMETER READS: 695,097
- 
- 74 1 each -  
**2009 FREIGHTLINER  
COLUMBIA**  
T/A DAY CAB, TRACTOR, CAT  
C15, 18 SPD AUTO SHIFT,  
HAULMAXX SUSPENSION, 191" W/B,  
18,000 LB FRONT, 46,000 LB  
REARS, DOUBLE LOCKERS  
s/n: 1FUJA6AVX9DAE1019  
ODOMETER READS: 191,585
- 
- 75 1 each -  
**2006 PETERBILT  
378**  
T/A DAY CAB, TRACTOR, 475 HP  
CUMMINS ISX475, 13 SPD, AIR  
SUSPENSION, 200" W/B, 12,000  
LB FRONT, 40,000 LB REARS,  
SLIDER  
s/n: 1XPFD49X06D899769  
ODOMETER READS: 482,195
- 
- 76 1 each -  
**2006 PETERBILT  
378**  
T/A DAY CAB, TRACTOR, 475 HP  
CUMMINS ISX475, 13 SPD, AIR  
SUSPENSION, 200" W/B, 12,000  
LB FRONT, 40,000 LB REARS,  
SLIDER  
s/n: 1XPFD49X96D899771  
ODOMETER READS: 430,359
- 
- 77 1 each -  
**2007 FREIGHTLINER**  
T/A DAY CAB, TRACTOR, 455 HP  
DETROIT SERIES 60, 10 SPD,  
AIR SUSPENSION, 171" W/B,  
SLIDER  
s/n: 1FUJA6CG77PX61079  
ODOMETER READS: 703,821
- 
- 78 1 each -  
**1996 FREIGHTLINER**  
T/A, DAY CAB, TRACTOR,  
CUMMINS, N14 PLUS, 10 SPD,  
AIR SUSPENSION, 180" W/B,  
SLIDER  
s/n: 1FUZYCYB7TL697856  
ODOMETER READS: 613,357
- 
- 79 1 each -  
**1989 FORD  
L9000**  
T/A DAY CAB, TRACTOR, CUMMINS  
9 SPD, 174" W/B, 46,000 LB  
REARS, WET KIT, SLIDER  
s/n: 1FDYU90W9KVA34729  
ODOMETER READS: 360,870
- 
- 80 1 each -  
**2006 INT'L  
4400**  
DAY CAB, TRACTOR, DT466,  
10 SPD  
s/n: 1HSMKAAN76H225657  
ODOMETER READS: 202,339
- 
- 81 1 each -  
**2006 FREIGHTLINER  
COLUMBIA**  
DAY CAB TRACTOR, 275 HP,  
DETROIT SERIES 60, 9 SPD,  
AIR SUSPENSION, SLIDER  
s/n: 1FUBA5CG46PV54145  
ODOMETER READS: 857,217
- 
- 82 1 each -  
**1990 FREIGHTLINER**  
T/A SLEEPER, CABOVER, TRACTOR,  
CUMMINS, 9 SPD, AIR  
SUSPENSION, 163" W/B, SLIDER  
s/n: 2FUPACYB8LV368083  
ODOMETER READS: 503,199
- 
- 83 1 each -  
**2000 FREIGHTLINER  
BUS. CLASS**  
DAY CAB TRACTOR, CAT 3126,  
6 SPD  
s/n: 1FUWHJBA1YHG02672  
ODOMETER READS: 148,919
- 
- 84 1 each -  
**2009 ISUZU  
NPR**  
CABOVER, SWEEPER, TYMCO 210,  
AUX 4 CYL DIESEL, AUTO  
s/n: JALB4W16697400795  
ODOMETER READS: 176,638
-

- 85 1 each -  
**2007 GMC W4500**  
CABOVER SWEEPER, SCHWARZE, S348-1, AUX, 4 CYL DIESEL, AUTO (REBUILT SALVAGED TITLE)  
s/n: J8DC4B1K3T7007127  
ODOMETER READS: 228,236
- 
- 86 1 each -  
**2009 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL, AUTO  
s/n: JALB4W16697400781  
ODOMETER READS: 200,411
- 
- 87 1 each -  
**2009 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL, AUTO  
s/n: JALB4W16597400822  
ODOMETER READS: 245,057
- 
- 88 1 each -  
**2006 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL, AUTO  
s/n: JALB4B16067017746  
ODOMETER READS: 425,184
- 
- 89 1 each -  
**2003 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL, AUTO  
s/n: JALB4B14337002877  
ODOMETER READS: 542,238
- 
- 90 1 each -  
**2001 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL  
s/n: JALB4B14117007279  
ODOMETER READS: 296,235
- 
- 91 1 each -  
**1998 ISUZU NPR**  
CABOVER, SWEEPER, TYMCO 210, AUX 4 CYL DIESEL, AUTO  
s/n: JALB4B1K8W7007933  
ODOMETER READS: 567,929
- 
- 92 1 each -  
**2005 TOYOTA TUNDRA**  
SWEEPER, MASCO 1600, AUX 4 CYL GAS, HOUR METER READS: 907  
s/n: 5TBJU32125S448933  
ODOMETER READS: 162,916
- 
- 94 1 each -  
**2000 FORD F450**  
SERVICE BODY, POWER STROKE, AUTO, LINCOLN SA200-TM27 WELDER/GENERATOR, STABILIZERS  
s/n: 1FDXF46F4YEA44223  
ODOMETER READS: 111,723
- 
- 95 1 each -  
**1999 DODGE 3500 RAM**  
SERVICE BODY, CUMMINS 5 SPD, MILLER BOBCAT 250 WELDER/GEN SET, TRANSFER TANK & PUMP (NO 5TH GEAR)  
s/n: 3B6MC3667XM502179  
ODOMETER READS: 238,719
- 
- 96 1 each -  
**1998 CHEV 3500**  
SERVICE BODY, V8, AUTO  
s/n: 1GBKC34J2WFO23679  
ODOMETER READS: 186,978
- 
- 97 1 each -  
**1998 INT'L 4700**  
18' FLATBED DUMP, T444E, AUTO  
s/n: 1HTSCABM0WH502123  
ODOMETER READS: 325,985
- 
- 98 1 each -  
**2004 GMC C5500**  
12' FLATBED DUMP, V8, AUTO  
s/n: 1GDG5C1EX4F900429  
ODOMETER READS: 226,347
- 
- 99 1 each -  
**2000 FORD F550**  
12' FLATBED DUMP, POWER STROKE, AUTO, 4WD  
s/n: 1FDAF57F3YEC47601  
ODOMETER READS: 86,809
- 
- 100 1 each -  
**2012 INT'L TERRA STAR**  
14' FLATBED, MAXXFORCE, AUTO  
s/n: 1HTJSSK8CJ391523  
ODOMETER READS: 127,667
- 
- 101 1 each -  
**2007 FORD F550**  
12' FLATBED, POWER STROKE, AUTO  
s/n: 1FDAF56P07EA52709  
ODOMETER READS: 196,482
- 
- 102 1 each -  
**2001 FORD F350**  
12' FLATBED, V8, GAS, AUTO  
s/n: 1FDWF36S51EC52426  
ODOMETER READS: 171,882
- 
- 103 1 each -  
**2000 FORD F450**  
12' FLATBED, V8 DIESEL, AUTO  
s/n: 1FDXF46F7YED43222  
ODOMETER READS: 121,879
- 
- 104 1 each -  
**1999 FORD F450**  
12' FLATBED, POWER STROKE, 5 SPD  
s/n: 1FDXF46F8XEC29695  
ODOMETER READS: 152,620
- 
- 105 1 each -  
**2008 NISSAN 2600**  
CABOVER, 24' FLATBED, 230 HP, NISSAN J08E-UJ, AUTO  
s/n: JNAPA81H08AR70065  
ODOMETER READS: 182,708
- 
- 106 1 each -  
**1988 FORD 8000 CARGO**  
22' FLATBED, 6 CYL DIESEL, 6 SPD  
s/n: 9BFXH81A2JDM01188  
ODOMETER READS: 260,884
- 
- 107 1 each -  
**1997 ISUZU NPR**  
14' FLATBED, V8, AUTO  
s/n: 4KLB4B1R0VJ002578  
ODOMETER READS: 136,729
- 
- 108 1 each -  
**1996 FORD F450**  
9' FLATBED, POWER STROKE, 5 SPD  
\*\*TITLE BRANDED AGRICULTURAL VEHICLE\*\*  
s/n: 1FDLF47F7TEA33769  
ODOMETER READS: 326,935
- 
- 109 1 each -  
**1992 INT'L 4900**  
RAMP TRUCK, 20' BED, 6 CYL DIESEL, 6 SPD  
s/n: 1HTSDPCN7NH434764  
ODOMETER READS: 110,932
- 
- 110 1 each -  
**2008 FORD F450**  
12' FLATBED, POWER STROKE, AUTO  
s/n: 1FDXF46R08EC28407  
ODOMETER READS: 142,358
- 
- 111 1 each -  
**2001 FORD F550**  
14' FLATBED, POWER STROKE, AUTO  
s/n: 1FDAF56F11ED70028  
ODOMETER READS: 206,830
- 
- 112 1 each -  
**2006 FREIGHTLINER ARGOSY**  
TRI/A CABOVER, HOOK TRUCK, CASCON CCPG-240, TARP SYSTEM, 515 HP DETROIT SERIES 60, 10 SPD, DROP AXLE  
s/n: 1FVHAWCK86LW00440  
ODOMETER READS: 309,081
- 
- 113 1 each -  
**2002 STERLING LT9**  
T/A CRANE TRUCK, IMT 24562 62' 5,000 LB MATERIAL HANDLER, OUTRIGGERS, 24' FLATBED, 330 HP, CUMMINS ISM330, 8LL SPD, TAG/A  
s/n: 2FZHAZA882AF62136  
ODOMETER READS: 316,664
-

- 116 1 each -  
**1996 FREIGHTLINER  
FL80**  
BUCKET TRUCK, ALTEC AA755,  
55', 350 LB OUTRIGGERS,  
CUMMINS, AUTO  
s/n: 1FV6JLBB77L732043  
ODOMETER READS: 9,500
- 
- 118 1 each -  
**2004 INT'L  
4300**  
CAB & CHASSIS DT466, AUTO  
s/n: 1HTMMAAL44H605587  
ODOMETER READS: 311,549
- 
- 119 1 each -  
**2008 CHEV  
2500**  
CAB & CHASSIS, AUTO, 4WD  
s/n: 1GBHK24K08E107833  
ODOMETER READS: 111,238
- 
- 120 1 each -  
**2004 CHEV  
2500**  
CAB & CHASSIS, V8, AUTO, 4WD  
s/n: 1GBHK24U84E338894  
ODOMETER READS: 119,745
- 
- 123 1 each -  
**2014 INT'L  
4300**  
24' VAN TRUCK, MAXXFORCE,  
AUTO, LIFTGATE  
s/n: 3HAJTSKL3EL771024  
ODOMETER READS: 85,423
- 
- 124 1 each -  
**2012 INT'L  
4300**  
24' VAN TRUCK, MAXXFORCE 6.4,  
AUTO, LIFTGATE  
s/n: 3HAJTSKL3CL605616  
ODOMETER READS: 199,257
- 
- 125 1 each -  
**2005 GMC  
C8500**  
24' VAN TRUCK, 210 HP, CAT  
C-7, 6 SPD, LIFTGATE  
s/n: 1GDM8C1C25F528806  
ODOMETER READS: 262,805
- 
- 126 1 each -  
**2005 GMC  
C7500**  
24' VAN TRUCK, 190 HP CAT,  
C-7, AUTO, LIFTGATE  
s/n: 1GDJ7C1C35F513933  
ODOMETER READS: 355,775
- 
- 127 1 each -  
**2003 KENWORTH  
T300**  
26' VAN TRUCK, CAT 3126,  
6 SPD, LIFTGATE  
s/n: 2NKMHD6X43M389415  
ODOMETER READS: 351,946
- 
- 128 1 each -  
**2002 GMC  
C6500**  
24' VAN TRUCK, 190 HP CAT  
3126, 5 SPD  
s/n: 1GBJ7H1C72J512833  
ODOMETER READS: 149,632
- 
- 129 1 each -  
**1997 FORD  
CARGO**  
CABOVER, 24' VAN TRUCK,  
CUMMINS, AUTO, LIFTGATE  
s/n: 1FDWH81C8VVA32467  
ODOMETER READS: 137,953
- 
- 130 1 each -  
**2002 FREIGHTLINER  
FC70**  
CABOVER, 22' VAN TRUCK,  
CUMMINS 5.9, 6 SPD, LIFTGATE  
s/n: 1FVAB3BV62DK05508  
ODOMETER READS: 211,364
- 
- 131 1 each -  
**2008 HINO  
145**  
18' VAN TRUCK, 4 CYL DIESEL,  
AUTO  
\*\*MECHANICAL ISSUE, WILL NOT  
GO OVER 30 MPH\*\*  
s/n: 5PVNA6JM882S50156  
ODOMETER READS: 231,115
- 
- 132 1 each -  
**2011 ISUZU NPR  
ECO-MAX**  
12' REFRIGERATED VAN TRUCK,  
THERMO KING V-300, 4 CYL  
DIESEL, AUTO  
s/n: JALB4W17XB7400331  
ODOMETER READS: 210,248
- 
- 133 1 each -  
**2005 CHEV  
3500**  
VAN TRUCK, V8, AUTO  
s/n: 1GBHG31UX51115258  
ODOMETER READS: 174,301
- 
- 134 1 each -  
**1984 CHEV  
P30**  
STEP VAN, 220V REFRIGERATED,  
V8, AUTO  
s/n: 1GCJP32M0E3333340  
ODOMETER READS: 225,675
- 
- 137 1 each -  
**2009 FORD  
E450**  
20-PASSENGER BUS, V10, AUTO  
s/n: 1FDXE45539DA13887  
ODOMETER READS: 180,158
- 
- 138 1 each -  
**2008 CHEV  
3500**  
11-PASSENGER BUS, DURAMAX,  
AUTO, WHEELCHAIR LIFT  
s/n: 1GBJG316281122714  
ODOMETER READS: 207,711
- 
- 139 1 each -  
**2002 FORD  
E450**  
13-PASSENGER BUS, POWER  
STROKE, AUTO, WHEELCHAIR LIFT  
s/n: 1FDXE45F42HA81945  
ODOMETER READS: 392,895
- 
- 140 1 each -  
**2001 FORD  
E450**  
14-PASSENGER BUS, POWER  
STROKE, AUTO, WHEELCHAIR LIFT  
s/n: 1FDXE45F61HA74025  
ODOMETER READS: 414,023
- 
- 141 1 each -  
**2009 FORD  
E450**  
19-PASSENGER BUS, V10, AUTO,  
WHEELCHAIR LIFT  
(ENGINE OVERHEATS)  
s/n: 1FDXE45S89DA06384  
ODOMETER READS: 196,631
- 
- 142 1 each -  
**2003 FORD  
E450**  
AID UNIT, POWER STROKE, AUTO  
s/n: 1FDXE45F53HB23377  
ODOMETER READS: 81,001
- 
- 143 1 each -  
**1999 FORD  
F350**  
AID UNIT, POWER STROKE, AUTO,  
4WD  
s/n: 1FDWF37F5XEA98469  
ODOMETER READS: 112,734
- 
- 144 1 each -  
**1994 E-ONE  
HUSH**  
T/A CREW CAB, 95' PLATFORM,  
3-SECTION ALUMINUM LADDER,  
1510 GPM PUMP, DETROIT  
8V92, ALLISON AUTO  
s/n: 4ENDABA83R1004131  
ODOMETER READS: 94,732
- 
- 145 1 each -  
**1967 INT'L  
190**  
T/A WATER TRUCK, APPROX 3,400  
GAL, PTO PUMP, FRONT & SIDE  
NOZZLES, V8, 5/4 SPD  
s/n: 241922G273432  
ODOMETER READS: 19,704
-

201	1 each - <b>CAT 2FC30</b> 6,000 LB 187" HRT 36V ELECTRIC FORKLIFT, SIDEHIFT W/CHARGER s/n: A2EC360998	211	1 each - <b>1993 ALMAR SOUNDER</b> 22-1/2' ENCLOSED CAB ALUMINUM BOAT, HONDA 225 HP, 4-STROKE OUTBOARD, DIVE DOOR, WABASTO DIESEL HEATER, SHORE POWER, REFER, SUSP SEATS, FURUNO NAUNET XX2 SONAR/VHF PLOTTER/ RADAR, ICOM, 786 HRS, W/1992 EZ LOADER T/A BOAT TRAILER s/n: AUC2486FA293	221	1 each - <b>2004 BANDIT 250</b> TRAILER MOUNTED HYDRAULIC FEED CHIPPER, CAT 4 CYL DIESEL HOUR METER READS: 3,320 s/n: 019400
202	1 each - <b>2000 GENIE Z-60/34</b> 60' 500 LB SELF-PROPELLED BOOM LIFT, FORD LRG-425 EFI GAS/PROPANE HOUR METER READS: 4,307 s/n: Z60-2323	212	1 each - <b>1995 REINELL 192RM</b> 19' CABIN CRUISER BOAT, VOLVO PENTA 5.0F1 INBOARD/OUTBOARD W/1995 CALKINS RX1618-3000 W/1995 CALKINS RX-1618-3000 S/A GALVANIZED BOAT TRAILER S/N: 1CXBC1812SS500920 s/n: RNA90864C595	222	1 each - <b>2004 BANDIT 250</b> TRAILER MOUNTED HYDRAULIC FEED CHIPPER, CAT 4 CYL DIESEL HOUR METER READS: 3,536 s/n: 019402
203	1 each - <b>1999 JLG 500-RTS</b> 50' 2,000 LB SELF-PROPELLED PLATFORM LIFT, 4 CYL, GAS/PROPANE s/n: 0200062796	213	1 each - <b>1996 SEA-DOO GTI</b> PERSONAL WATERCRAFT (ELECTRICAL ISSUES) W/1994 SHORELAND'R PERSONAL WATERCRAFT TRAILER S/N: 1MDCMJ12RC675444 s/n: ZZNE1747K596	223	1 each - <b>1991 HARBEN</b> TRAILER MOUNTED HYDRO JETTER, HATZ 3 CYL DIESEL HOUR METER READS: 2,281 s/n: 1H9W10107MC122004
204	1 each - <b>2000 GENIE GS-2646</b> 26' 1,000 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT s/n: P01116100	215	1 each - <b>2007 SULLAIR 375JD</b> TRAILER MOUNTED 375 CFM AIR COMPRESSOR, JOHN DEERE 4045HF 4 CYL DIESEL s/n: 200710110032	224	1 each - <b>MAGNAMAX 572RSL4027</b> 400KW/500KVA 208-240/416-480V 3 PHASE GENERATOR W/SILENCER, DETROIT 6 CYL DIESEL s/n: WA-535716-0803
205	1 each - <b>JLG 1932</b> 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT (NO KEY OR GROUND CONTROL BOX)	216	1 each - <b>2007 INGERSOLL RAND XP375WCU</b> TRAILER MOUNTED 375 CFM AIR COMPRESSOR, CUMMINS 4 CYL DIESEL HOUR METER READS: 8,230 s/n: 4FVCBBBA27U385477	228	1 each - <b>TY-CROP TD-400</b> TOW BEHIND PTO DRIVEN TOP DRESSER
206	1 each - <b>JLG 1932</b> 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT	217	1 each - <b>2001 INGERSOLL RAND P185JD</b> TRAILER MOUNTED 185 CFM AIR COMPRESSOR, JOHN DEERE 4045DF 4 CYL DIESEL HOUR METER READS: 3,826 s/n: 323415UGL231	229	1 each - <b>TORO GREENSMaster 3100</b> GREENS MOWER, GAS, HYDROSTATIC TRANS (NO REELS) s/n: 04353-40144
207	1 each - <b>JLG 1932</b> 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT (NO KEY)	218	1 each - <b>1989 INGERSOLL RAND P-185 B-W-JD</b> TRAILER MOUNTED 185 CFM AIR COMPRESSOR, JOHN DEERE 4039DF 4 CYL DIESEL s/n: 177157U89329	230	1 each - <b>BEUTHLING B50</b> 35" SMOOTH DRUM ROLLER W/WATER FEATURE, 1 CYL GAS s/n: 50-96
208	1 each - <b>JLG 1932</b> 19' 500 LB SELF-PROPELLED ELECTRIC PLATFORM LIFT (NO BATTERIES OR CONTROLLER)	219	1 each - <b>2005 ALLMAND</b> TRAILER MOUNTED 6 KW PORTABLE LIGHT TOWER, KUBOTA D905-BG-E 3 CYL DIESEL HOUR METER READS: 6,625 s/n: 0844PR005	231	1 each - APPROX 17 YD +/- LOW HOOK ROLL-OFF DROP BOX
209	1 each - <b>CROWN RC3000</b> 3,000 LB 190" 36V ELECTRIC ORDER PICKER HOUR METER READS: 5,253 s/n: 1A22569	223	1 each - 87" X 9' CONTAINER W/FORK POCKETS, SIDE DOOR & WINDOW	232	1 each - APPROX 13 YD +/- LOW HOOK ROLL-OFF DROP BOX
210	1 each - <b>2014 SMOKERCRAFT ALASKAN 12</b> 12' ALUMINUM BOAT W/TOHATSU MF55BS 3H6 5 HP OUTBOARD MOTOR S/N: 069871XF W/2014 KING S/A BOAT TRAILER S/N: 4XBBA1618EA012249 s/n: USSMK52596B414	233	1 each - 78" X 98" CONTAINER W/FORK POCKETS, SIDE DOOR & WINDOW	234	1 each - 85" X 75" MOBILE RESTROOM W/SHOWER, TOILET, SINK, VANITY & FORK POCKETS
				235	1 each - <b>BLASTONE</b> 81" X 51" 2 STALL MOBILE RESTROOM W/FORK POCKETS
				236	1 each - <b>BLASTONE</b> 81" X 51" 2 STALL MOBILE RESTROOM W/FORK POCKETS

237	1 each - <b>BLASTONE</b> 81" X 51" 2 STALL MOBILE RESTROOM W/FORK POCKETS	248	1 each - <b>2019 FORD EXPLORER</b> POLICE INTERCEPTOR, SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (FRONT ACCIDENT DAMAGE) s/n: 1FM5K8AR1KGB15658	257	1 each - <b>2007 FORD F550</b> EXT CAB, SERVICE TRUCK, SERVICE BODY, POWER STROKE, AUTO, 4WD (BAD MOTOR, BUYER NEEDS CERTIFIED WEIGHT SLIP TO LICENSE) s/n: 1FDAX57P37EB21971 ODOMETER READS: 198,807
238	1 each - 8' X 40' HIGH CUBE SHIPPING CONTAINER W/END DOOR & (4) 8' SIDE DOORS (NO REMOVAL BEFORE THURSDAY, OCTOBER 24TH)	249	1 each - <b>2015 FORD EXPLORER</b> POLICE INTERCEPTOR, SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (FRONT ACCIDENT DAMAGE, NO KEYS) s/n: 1FM5K8AR9FGB52253	258	1 each - <b>2006 FORD F150</b> CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (BAD TRANSMISSION) s/n: 1FTRW14W46FB30377 ODOMETER READS: 161,792
239	1 each - 16' X 8'4" T/A UTILITY TRAILER, DROP GATE, ELECTRIC BRAKES, TIRE SIZE 225/75-15	250	1 each - <b>2016 FORD EXPLORER</b> POLICE INTERCEPTOR, SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (FRONT ACCIDENT DAMAGE, NO KEYS) s/n: 1FM5K8AR2GGD17996	259	1 each - <b>2018 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE) s/n: 1FM5K8AR9JGB19861 ODOMETER READS: 20,623
242	1 each - <b>1993 FORD F250</b> PICKUP, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (MILEAGE: N/A BAD IGNITION SWITCH) s/n: 2FTEF25H0PCA17432	251	1 each - <b>2009 CHEV COLORADO</b> EXT CAB PICKUP, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (NON-RUNNING) s/n: 1GCCS199898132100 ODOMETER READS: 138,275	260	1 each - <b>2003 FREIGHTLINER COLUMBIA</b> TRI/A SLEEPER, TRACTOR, 470 HP DETROIT SERIES 60, 10 SPD, AIR SUSPENSION, 233" W/B, DROP AXLE, SLIDER (TURNS OVER, WILL NOT START) s/n: 1FUJA6CG43LK65965 ODOMETER READS: 364,088
243	1 each - <b>2011 FORD F450</b> 4WD EXT CAB, 10' FLATBED DUMP, POWER STROKE, AUTO **BUYER NEEDS CERTIFIED WEIGHT SLIP TO LICENSE VEHICLE** (NON-RUNNING) s/n: 1FD0X4HT1BEB53568 ODOMETER READS: 74,396	252	1 each - <b>2012 CHEV TAHOE</b> SUV, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (NON-RUNNING) s/n: 1GNLC2E02CR322302 ODOMETER READS: 140,619	261	1 each - <b>2008 CHEV UPLANDER</b> PASSENGER VAN, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (TRANSIT AGENCY DISCLOSURE: BAD TRANSMISSION) s/n: 1GNDV23W38D162408 ODOMETER READS: 140,414
244	1 each - <b>2014 CHEV TAHOE</b> SUV, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE) s/n: 1GNLC2E00ER201979 ODOMETER READS: 81,729	253	1 each - <b>1995 GMC 2500 VANDURA</b> CARGO VAN, V8, AUTO (NO REVERSE) s/n: 1GTEG25H2SF551459 ODOMETER READS: 109,352	262	1 each - <b>1969 CHEV SUBURBAN DELIVERY</b> SUV, 2WD, V8, AUTO (RUNS/NO BRAKES) s/n: CE159Z865832 ODOMETER READS: 17,336
245	1 each - <b>2005 FORD F650</b> CARRIER, 21' CHEVRON STEEL BED, UNDER LIFT, WINCH, CUMMINS, AUTO **TITLE BRANDED, NOT ACTUAL MILES** (NON-RUNNING) s/n: 3FRNF65F55V115344 ODOMETER READS: 465,958	254	1 each - <b>2001 CHEV MALIBU</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (UNDER CARRIAGE DAMAGE, LEAKS COOLANT) s/n: 1G1ND52J716227321 ODOMETER READS: 133,583	263	1 each - <b>2010 FORD E450</b> AID UNIT, POWER STROKE, AUTO (ENGINE KNOCKS - NOT RUNNING) s/n: 1FDXE4FP0ADA27958 ODOMETER READS: 97,951
246	1 each - <b>2016 HYUNDAI TUCSON</b> SUV, AWD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (BAD ENGINE) s/n: KM8J3CA48GU035642 ODOMETER READS: 68,865	255	1 each - <b>2013 FORD EXPLORER</b> POLICE INTERCEPTOR, SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE & BAD TRANS) s/n: 1FM5K8AR7DGA42332 ODOMETER READS: 107,887	264	1 each - <b>2015 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (ACCIDENT DAMAGE) s/n: 1FM5K8ARXFGC08801 ODOMETER READS: 93,855
247	1 each - <b>2013 FORD EXPLORER</b> POLICE INTERCEPTOR, SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK **STEERING RACK PROBLEM, STEERING LOCKS UP, DO NOT DRIVE ON ROAD** s/n: 1FM5K8AR2DGC63692 ODOMETER READS: 104,310				

265	1 each - <b>1950 PLYMOUTH SPECIAL DELUXE</b> 4 DR, 6 CYL, 3 SPD (RUNS, NEEDS HYDRAULIC CLUTCH & BRAKE WORK) s/n: P20384907 ODOMETER READS: 91,409	276	1 each - <b>1996 TRAIL KING TK40LP</b> 24' T/A BEAVERTAIL EQUIPMENT TRAILER, RAMPS, A/B, TIRE SIZE 215/75-17.5 s/n: 1TKC02424TM066397	285	1 each - <b>1981 J &amp; L TANK 3145</b> 20' 36,000 GVWR, 18,000 GAWR S/A ALUMINUM PNEUMATIC DRY BULK TANK TRAILER, TIRE SIZE 295/75-22.5 s/n: 1J9P4AA12B1001121
266	1 each - <b>2001 FREIGHTLINER</b> TRI/A, DAY CAB, TRACTOR, 470 HP, DETROIT SERIES 60, 13 SPD, AIR SUSPENSION, 247" W/B, DROP AXLE, SLIDER (ELECTRICAL PROBLEM) s/n: 1FUNAHCG21PF96985 ODOMETER READS: 139,153	277	1 each - <b>1989 MOV-ALL 4670FTD</b> 46' 87,000 GVWR, 17,000 GAWR T/A STEP DECK LOWBOY TRAILER, 12' FOLDING DOVE TAIL, WINCH, TIRE SIZE 10R-17.5 s/n: 1W1BMK4C0KJ213398	286	1 each - <b>1981 J &amp; L TANK 3150</b> 19' 36,000 LB GVWR, 18,000 GAWR 2-AXLE ALUMINUM PNEUMATIC DRY BULK TANK PUP TRAILER, TIRE SIZE 295/75-22.5 s/n: 1J9P4AA41B1001122
268	1 each - <b>2005 SUZUKI GSX-600R</b> 4 CYL, 6 SPD (ACCIDENT DAMAGE) s/n: JS1GN7CA552112120	278	1 each - <b>1997 BEALL</b> TRI-AXLE 43,500 LB GVWR, 72,000 LB GAWR END DUMP TRAILER, 15' STEEL BED, TIRE SIZE 11R-24.5 s/n: 1BN1P1532VK111470	287	1 each - <b>1999 DITCH WITCH BT26</b> 23' 26,000 LB GVWR, 20,000 LB GAWR T/A BEAVERTAIL EQUIPMENT TRAILER, RAMPS, ELECT BRAKES, TIRE SIZE 7.50-16 s/n: 1DS0000M6X17S2608
269	1 each - <b>1981 ALLIS CHALMERS ACP50HDPS</b> 5,500 LB PNEUMATIC TIRE FORKLIFT, 2-STAGE MAST, 4 CYL DIESEL, HOUR METER READS: 3,451 (COUNTY DISCLOSURE: TURNS OVER, WILL NOT START) s/n: 125368	279	1 each - <b>2007 HELM</b> 46' QUAD AXLE CONTAINER TRAILER, SLIDING AXLES, FRONT STEER LIFT AXLE, TIRE SIZE 255/70-22.5 s/n: 1H9CS53467T347126	288	1 each - <b>1984 STRICK</b> 48' 65,000 GVWR, 19,000 GAWR TRI-AXLE LIVE FLOOR TRAILER, TARP SYSTEM, TIRE SIZE 11R-22.5 s/n: 1S12S9482ED255248
271	1 each - <b>1997 LOAD KING 253TT</b> 30' 62,000 LB GVWR, 18,000 GAWR TRI AXLE TILTBED EQUIPMENT TRAILER, 4' STATIONARY, A/B, TIRE SIZE 215/75-17.5 s/n: 1B4T37334V6121635	280	1 each - <b>2014 CARRY ON LP12KTP</b> 6' X 12' 12,000 LB GVWR, 6,000 LB GAWR, T/A DUMP TRAILER, RAMPS, ELECT BRAKES, TIRE SIZE 225/90-16 s/n: 4YMDU1228EN018568	289	1 each - <b>1988 TRAIL KING TS120MG542</b> 36-1/2' 148,000 LB GVWR, 21,000 GAWR T/A LOWBOY TRAILER, 8-1/2' X 24' DECK, OUTRIGGERS, 15' DETACHABLE FOLDING GOOSENECK, TIRE SIZE 11R-22.5 W/TS22B S/A BOOSTER & TS540-152 24' T/A JEEP s/n: 1TKS0542XJM109953
272	1 each - <b>2004 TRAIL KING TKT502800</b> 28' 65,000 LB GVWR, 18,000 GAWR TRI-AXLE TILTBED EQUIPMENT TRAILER, 4' STATIONARY, 12' DOVE TAIL, TIRE SIZE 205/75-17.5 s/n: 1TKC028374M046925	281	1 each - <b>2008 PJ</b> 5' X 10' 7,000 LB GVWR, 3,500 LB GAWR T/A DUMP TRAILER, ELECT BRAKES, TIRE SIZE 225/75-15 s/n: 4P5D5102681110024	290	1 each - <b>2015 PJ T6162</b> 17' 14,000 GVWR, 7,000 LB GAWR TILTBED EQUIPMENT TRAILER, ELECT BRAKES, TIRE SIZE 235/80-16 s/n: 3CVT61622F2538707
273	1 each - <b>2004 TRAIL MAX TD-40-T</b> 30' 48,600 LB GVWR, 18,000 LB GAWR, T/A TILTBED EQUIPMENT TRAILER, 5' STATIONARY, A/B s/n: 1G9KS37264A065162	282	1 each - <b>SCREEN USA TS4012DLX</b> TOW BEHIND TRI-AXLE STAR SCREEN, 11' X 5' HOPPER, 12" X 36" SHREDDER MILL, 36" X 40' CONVEYOR, 12' DISCHARGE CONVEYOR, JOHN DEERE 4.5L 4 CYL DIESEL HOUR METER READS: 842 (NON-TITLED) s/n: 4190701	291	1 each - <b>1980 GREAT DANE</b> 42' T/A STEP DECK FLATBED TRAILER, 8' X 31' MAIN DECK, WINCHES, TIRE SIZE 10.00-15 s/n: M24538
274	1 each - <b>2004 TRAIL MAX TD-40-T</b> 30' 46,600 LB GVWR, 18,000 LB GAWR T/A TILTBED EQUIPMENT TRAILER, 5' STATIONARY, A/B, TIRE SIZE 215/75-17.5 s/n: 1G9KS37284A065163	283	1 each - TOW BEHIND 40" X 28' BELT CONVEYOR, 5 HP, 208/230V	292	1 each - <b>2003 IMCO</b> 52' 65,000 LB GVWR, 20,000 GAWR TRI-AXLE LIVE FLOOR TRAILER, TARP, TIRE SIZE 11R-24.5 s/n: 1M9L152233C343553
275	1 each - <b>2004 TRAIL MAX TD-40-T</b> 30' 46,600 LB GVWR, 18,000 LB GAWR T/A TILTBED EQUIPMENT TRAILER, 5' STATIONARY, A/B, TIRE SIZE 215/75-17.5 s/n: 1G9KS37244A065161	284	1 each - <b>2010 BULLDOG 720HT</b> 20' 7-TON T/A TILTBED EQUIPMENT TRAILER, ELECT BRAKES, TIRE SIZE 235/80-16 s/n: 4RJHT2025A1103835	293	1 each - <b>2010 STECO SWE040101</b> 40' 80,000 GVWR, 25,000 GAWR T/A LIVE FLOOR TRAILER, TARPING SYSTEM TIRE SIZE 11R-22.5 (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: SEVWS4021A1254721

294	1 each - <b>2010 SETCO SW040101</b> 40' 80,000 GVWR, 25,000 GAWR T/A LIVE FLOOR TRAILER, TARPING SYSTEM TIRE SIZE 11R-22.5 (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: 5EWW54025A1254723	302	1 each - <b>2000 MORGAN</b> 17' 5-TON T/A TILT DECK TRAILER, ELECT BRAKES, TIRE SIZE 225/75-15 s/n: 506MF1723Y1003338	317	1 each - <b>2000 INGERSOLL RAND P185WJD</b> TRAILER MOUNTED 185 CFM AIR COMPRESSOR, JOHN DEERE 4045D 4 CYL DIESEL (NON-RUNNING) s/n: 308173UAK221
295	1 each - <b>2010 SETCO SW040101</b> 40' 80,000 GVWR, 25,000 GAWR T/A LIVE FLOOR TRAILER W/TARPING SYSTEM, TIRE SIZE 11R-22.5 (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: 5EWW54023A1254722	304	1 each - <b>1998</b> 12' T/A EQUIPMENT TRAILER, DROP GATE, ELECT BRAKES, TIRE SIZE 205/75-14 s/n: 1F9ES122XWA152281	318	1 each - <b>1977</b> 8' T/A UTILITY TRAILER W/46" DIA X 6' WATER TANK, 2" GAS PUMP s/n: 30
296	1 each - <b>2010 STECO SW040101</b> 40' 80,000 LB GVWR, 25,000 LB GAWR T/A LIVE FLOOR TRAILER W/TARPING SYSTEM (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: 5EWW54027A1254724	305	1 each - <b>2002 EAGLE</b> 21' T/A BEAVERTAIL EQUIPMENT TRAILER, RAMPS, ELECT BRAKES, TIRE SIZE 205/75-15 s/n: 1E9E1802421021918	321	1 each - <b>FORD 713</b> BACKHOE, 4 CYL DIESEL, SELECT-O-SPEED TRANS (NON-RUNNING) HOUR METER READS: 3,307 (NO REMOVAL BEFORE THURSDAY, OCTOBER 24TH) s/n: 1200
297	1 each - <b>1996 STURDYWELD</b> TRI-AXLE END DUMP PUP TRAILER, 15' STEEL BED, EXTENDABLE TONGUE TARPING SYSTEM, TIRE SIZE 385/65-22.5 (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: 1S9CS5438TL189755	306	1 each - <b>1998 TRAIL KING</b> 16' T/A TILTBED EQUIPMENT TRAILER, ELECT BRAKES, TIRE SIZE 245/75-16 s/n: 1G9KS2126WA065412		
298	1 each - <b>1989 BEALL</b> 20-TON T/A END DUMP PUP TRAILER, 13' STEEL BED, EXTENDABLE TONGUE, TARPING SYSTEM TIRE SIZE 11R-22.5 (NO REMOVAL BEFORE WEDNESDAY, OCTOBER 23RD) s/n: 1BN1B1326KK589200	307	1 each - <b>1989 GARLAND FLATBED</b> 16' T/A BEAVERTAIL EQUIPMENT TRAILER, RAMPS, ELECT BRAKES, TIRE SIZE 8-14.5 s/n: GCT000995		
299	1 each - <b>2007 ECONOLINE DP1225TA</b> 25' 24,000 LB GVWR, 10,000 LB GAWR T/A TILTBED EQUIPMENT TRAILER, A/B, TIRE SIZE 8.75-16.5 s/n: 42ETPKM2171000181	308	1 each - <b>1974 STARCRAFT</b> 20' T/A EQUIPMENT TRAILER, ELECT BRAKES, TIRE SIZE 205/75-15 s/n: A008A74B00184		
300	1 each - <b>2001 PAROS PTHB852816</b> 28' 5,400 LB GAWR TRI-AXLE GOOSENECK TILTBED EQUIPMENT TRAILER, 8' STATIONARY, ELECT BRAKES, TIRE SIZE 235/85-16 s/n: 490HP283X1S001043	311	1 each - <b>1991 SHORELAND'R</b> S/A BOAT TRAILER s/n: 1MDAB5R10ME524557		
301	1 each - <b>2000 PRO-TRAK FLATBED</b> 25' T/A GOOSENECK BEAVERTAIL EQUIPMENT TRAILER, RAMPS, ELECT BRAKES, TIRE SIZE 7.50-16 s/n: 5BNDG2524YC001893	312	1 each - <b>2004</b> GEAR LIFT S/A REEL TRAILER s/n: 1S9BF16284F775171		
		313	1 each - <b>2011 SHOPBUILT</b> 8' PICKUP BED UTILITY TRAILER, TIRE SIZE 235/75-15 s/n: WA98233389		
		314	1 each - <b>1977</b> 5' X 8' S/A ENCLOSED UTILITY TRAILER, TIRE SIZE 7.00-15 s/n: CA804733		
		315	1 each - <b>1993</b> 16' T/A ENCLOSED UTILITY TRAILER, DROP GATE, SIDE DOOR, ELECT BRAKES, TIRE SIZE 225/75-15 s/n: GW09162G0P1818024		
		316	1 each - <b>1992 SHOPBUILT</b> 10' S/A ENCLOSED UTILITY TRAILER, ELCT BRAKES, TIRE SIZE 235/75-15 s/n: WA89150074		

345	1 each - <b>2003 HARLEY DAVIDSON SOFTAIL</b> V-TWIN, 5 SPD s/n: 1HD1BVB123Y014276 ODOMETER READS: 38,607	358	1 each - <b>2015 MAZDA MAZDA 3</b> 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, NAVIGATION (SERVICE LIGHT ON) s/n: JM1BM1V7XF1260269 ODOMETER READS: 25,373	367	1 each - <b>2007 BMW 750I</b> 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF, NAVIGATION s/n: WBAHL83597DT10583 ODOMETER READS: 106,717
346	1 each - <b>2010 YAMAHA R1</b> 4 CYL, 6 SPD s/n: JYARN23E9AA006561 ODOMETER READS: 12,984	359	1 each - <b>2015 KIA SOUL</b> 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: KNDJP3A53F7754747 ODOMETER READS: 179,303	368	1 each - <b>2005 VW JETTA</b> 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF s/n: 3VWSE69M05M043421 ODOMETER READS: 78,901
347	1 each - <b>2013 HARLEY DAVIDSON ROAD KING</b> POLICE MOTORCYCLE, V-TWIN, 5 SPD s/n: 1HD1FHM16DB680676 ODOMETER READS: 25,142	360	1 each - <b>2011 CHEV CRUZE</b> 4 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1G1PC5SH1B7129616 ODOMETER READS: 101,962	369	1 each - <b>2004 VOLVO S60R</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: YV1RHS2Y642350978 ODOMETER READS: 166,847
348	1 each - <b>2011 HONDA ST1300</b> MOTORCYCLE, 4 CYL, 5 SPD s/n: JH2SC5171BK700178 ODOMETER READS: 53,070	361	1 each - <b>2010 MINI COOPER S</b> 2 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF s/n: WMMWF7C51ATW88717 ODOMETER READS: 125,154	370	1 each - <b>2005 CADILLAC CTS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1G6DP567250161152 ODOMETER READS: 140,459
351	1 each - <b>1967 PONTIAC GTO</b> 2 DR, 400 CID, RAM AIR HOOD, AUTO, DUAL GATE HURST SHIFTER, P/S, P/B, HOOD TACK s/n: 242177Z124153 ODOMETER READS: 55,976	362	1 each - <b>2011 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK **REBUILT/SALVAGED TITLE** s/n: 1FAHP2EW5BG180776 ODOMETER READS: 62,292	371	1 each - <b>2000 AUDI A4</b> 4 DR, AWD, 4 CYL, 5 SPD, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF s/n: WAUDC28D8YA056959 ODOMETER READS: 193,192
352	1 each - <b>1967 CHEV EL CAMINO</b> 350 CI V8, AUTO, P/S, P/B ELECTRIC ODOMETER NOT WORKING s/n: 136807K107799	363	1 each - <b>2009 FORD FLEX</b> SW, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FMDK52C39BA75119 ODOMETER READS: 146,653	372	1 each - <b>1997 MERCEDES SL500</b> 2 DR, 6 CYL, AUTO, A/C, CRUISE, P/WDW, P/SEAT, CONVERTIBLE s/n: WDBFA67FXVF152763 ODOMETER READS: 108,029
353	1 each - <b>1972 GMC SIERRA 1500 CUSTOM</b> CUSTOM, 383 CI V8 STROKER, TH350 TRANS, 2500 STALL CONVERTER, AIR RIDE SUSPENSION s/n: 2BGH0914521509517 ODOMETER READS: 3,299	364	1 each - <b>2007 FORD FREESTYLE</b> SW, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1FMDK06147GA15030 ODOMETER READS: 160,606	373	1 each - <b>1995 ACURA INTEGRA</b> 2DR, 4 CYL, AUTO, A/C, TILT, P/WDW, P/LOCK s/n: JH4DC4449SS008696 ODOMETER READS: 156,605
354	1 each - <b>1979 VOLKSWAGEN SUPER BEETLE</b> 2 DR, 4 CYL, 4 SPD, CONVERTIBLE s/n: 1592029046 ODOMETER READS: 80,702	365	1 each - <b>2006 VW PASSAT</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: WVWU73C96P093948 ODOMETER READS: 140,428	378	1 each - <b>2008 GEM E4</b> 2 DR, ELECTRIC, SUNROOF s/n: 5ASAG47478F046137 ODOMETER READS: 1,189
355	1 each - <b>1984 ALFA ROMEO SPIDER</b> 2 DR, 4 CYL, 5 SPD, CONVERTIBLE s/n: ZARBA5417E1020386 ODOMETER READS: 21,476	366	1 each - <b>2006 CHEV MALIBU</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1G1ZU53826F218143 ODOMETER READS: 94,959	379	1 each - <b>2015 FORD TAURUS SEL</b> 4 DR, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (REAR END DAMAGE) s/n: 1FAHP2H83FG105190 ODOMETER READS: 37,876
357	1 each - <b>2019 VOLKSWAGEN BEETLE</b> 2 DR, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, CONVERTIBLE s/n: 3VW5DAAT5KM500628 ODOMETER READS: 3,104				

380	1 each - <b>2011 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WF5EK9B1238123 ODOMETER READS: 91,396	389	1 each - <b>2005 TOYOTA PRIUS</b> 4DR, 4 CYL, HYBRID, A/C, CRUISE, TILT, P/WDW, P/LOCK (INTERMITTENT ELECTRICAL PROBLEMS) s/n: JTDKB22U853072679 ODOMETER READS: 79,520	398	1 each - <b>2005 FORD TAURUS</b> SW, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FAHP58265A115176 ODOMETER READS: 88,838
381	1 each - <b>2011 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WF5EK3B1238134 ODOMETER READS: 78,971	390	1 each - <b>2003 TOYOTA PRIUS</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: JT2BK18U330084702 ODOMETER READS: 118,944	399	1 each - <b>2003 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WF52E939263993 ODOMETER READS: 124,931
382	1 each - <b>2009 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WB57K891273660 ODOMETER READS: 95,252	391	1 each - <b>2003 TOYOTA PRIUS</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: JT2BK18U430084756 ODOMETER READS: 70,535	400	1 each - <b>2004 FORD FOCUS</b> SW, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW s/n: 1FAFP36384W194312 ODOMETER READS: 111,021
383	1 each - <b>2007 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WB58K579356489 ODOMETER READS: 100,929	392	1 each - <b>2006 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53296A245817 ODOMETER READS: 105,381	401	1 each - <b>2002 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FAFP52202G199374 ODOMETER READS: 62,802
384	1 each - <b>2007 CHEV IMPALA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2G1WB58K879361492 ODOMETER READS: 98,214	393	1 each - <b>2006 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53226A245822 ODOMETER READS: 110,914	402	1 each - <b>1997 CHEV LUMINA</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK **TITLE BRANDED, FORMER RENTAL** s/n: 2G1WL52M9V1160185 ODOMETER READS: 97,092
385	1 each - <b>2007 TOYOTA CAMRY</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 4T1BB46K67U022330 ODOMETER READS: 59,596	394	1 each - <b>2006 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53226A245819 ODOMETER READS: 123,173	403	1 each - <b>2012 DODGE CHARGER</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2C3CDXAG1CH172502 ODOMETER READS: 50,173
386	1 each - <b>2007 TOYOTA CAMRY</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 4T1BB46K97U023178 ODOMETER READS: 79,961	395	1 each - <b>2005 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/LOCK (CITY DISCLOSURE: BAD TRANS) s/n: 1FAFP53205A108948 ODOMETER READS: 50,989	404	1 each - <b>2009 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FAHP71V99X144037 ODOMETER READS: 67,789
387	1 each - <b>2007 TOYOTA CAMRY</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 4T1BB46K17U017570 ODOMETER READS: 134,813	396	1 each - <b>2005 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53205A303988 ODOMETER READS: 86,962	405	1 each - <b>2010 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FBAP7BVXAX128390 ODOMETER READS: 103,434
388	1 each - <b>2005 TOYOTA PRIUS</b> 4 DR, 4 CYL, HYBRID, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: JTDKB20U353072155 ODOMETER READS: 95,536	397	1 each - <b>2005 FORD TAURUS</b> 4 DR, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FAHP53205A303991 ODOMETER READS: 132,365	406	1 each - <b>2010 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FABP7BVXAX134285 ODOMETER READS: 102,476

407	1 each - <b>2010 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FABP7BV4AX125775 ODOMETER READS: 110,388	423	1 each - <b>2015 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FM5K8ARXFGC67749 ODOMETER READS: 90,461	431	1 each - <b>2009 CHEV TAHOE</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNFK03059R264606 ODOMETER READS: 105,387
408	1 each - <b>2008 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/LOCK s/n: 2FAHP71V88X157425 ODOMETER READS: 101,704	424	1 each - <b>2014 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FM5K8AR3EGC27205 ODOMETER READS: 97,367	432	1 each - <b>2011 GMC TERRAIN</b> SUV, AWD, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2CTFLREC9B6286180 ODOMETER READS: 113,600
409	1 each - <b>2007 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2FAFP71W27X112222 ODOMETER READS: 98,826	425	1 each - <b>2014 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (COUNTY DISCLOSURE: ENGINE PROBLEM, LOW POWER WHEN HOT) s/n: 1FM5K8AR6EGB80266 ODOMETER READS: 90,492	433	1 each - <b>2008 CHEV TAHOE</b> SUV, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNEC03058R223660 ODOMETER READS: 105,871
410	1 each - <b>2006 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (NO BACK SEAT) s/n: 2FAHP71W26X114706 ODOMETER READS: 114,394	426	1 each - <b>2013 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FM5K8AR8DGC41101 ODOMETER READS: 113,369	434	1 each - <b>2007 LINCOLN MKX</b> SUV, AWD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 2LMDU88C97BJ30421 ODOMETER READS: 149,123
411	1 each - <b>2006 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (NO BACK SEAT) s/n: 2FAHP71W66X140600 ODOMETER READS: 133,140	427	1 each - <b>2013 FORD EXPLORER</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FM5K8AR4DGC41094 ODOMETER READS: 138,200	435	1 each - <b>2006 FORD EXPEDITION</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMPU16516LA15704 ODOMETER READS: 63,935
412	1 each - <b>2006 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK (NO BACK SEAT) s/n: 2FAHP71W66X114708 ODOMETER READS: 134,464	428	1 each - <b>2013 CHEV TAHOE</b> SUV, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNLC2E02DR299847 ODOMETER READS: 118,686	436	1 each - <b>2006 NISSAN MURANO</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: JN8AZ08W06W546830 ODOMETER READS: 174,514
413	1 each - <b>2005 FORD CROWN VIC</b> 4 DR, V8, AUTO, A/C, TILT, P/WDW, P/SEAT, P/LOCK (NO BACK SEAT) s/n: 2FAHP71W45X150783 ODOMETER READS: 124,980	429	1 each - <b>2013 CHEV TAHOE</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNSK2E02DR291813 ODOMETER READS: 112,246	437	1 each - <b>2006 CHEV TRAIL BLAZER</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNNDT13S662343668 ODOMETER READS: 132,338
421	1 each - <b>2017 HYUNDAI TUCSON</b> SUV, AWD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: KM8J3CA45HU532097 ODOMETER READS: 29,904	430	1 each - <b>2011 CHEV TAHOE</b> SUV, 2WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNLC2E05BR279850 ODOMETER READS: 100,617	438	1 each - <b>2006 GMC YUKON</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 3GKFK16Z96G103622 ODOMETER READS: 196,828
422	1 each - <b>2013 HYUNDAI TUCSON</b> SUV, AWD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: KM8JUCACXDU561903 ODOMETER READS: 99,997			439	1 each - <b>2005 FORD EXPLORER</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FMZU72K15ZA16547 ODOMETER READS: 98,768

440	1 each - <b>2005 GMC ENVOY</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1GKDT13SX52167834 ODOMETER READS: 147,502	449	1 each - <b>2002 BUICK RENDEZVOUS</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 3G5DB03E72S601623 ODOMETER READS: 195,183	459	1 each - <b>2014 FORD F150</b> CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTFW1EF2EKD83138 ODOMETER READS: 127,233
441	1 each - <b>2005 FORD EXPLORER</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1FMZU73W95UA10607 ODOMETER READS: 153,098	450	1 each - <b>2001 CHEV TAHOE</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GNEK13T51J173754 ODOMETER READS: 105,085	460	1 each - <b>2010 FORD F150</b> CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTFW1EV7AFC11570 ODOMETER READS: 136,757
442	1 each - <b>2005 NISSAN MURANO</b> SUV, AWD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: JN8AZ08W15W409023 ODOMETER READS: 155,837	451	1 each - <b>2000 JEEP CHEROKEE</b> SUV, 4WD, 6 CYL, AUTO, A/C s/n: 1J4FF28S4YL219512 ODOMETER READS: 75,328	461	1 each - <b>2010 FORD F150</b> PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTMF1EW4AKE05352 ODOMETER READS: 207,995
443	1 each - <b>2005 GMC DENALI</b> SUV, AWD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 1GKEK63UX5J229311 ODOMETER READS: 210,398	452	1 each - <b>1999 JEEP CHEROKEE</b> SUV, 4WD, 6 CYL, AUTO, A/C s/n: 1J4FF28SXXL595100 ODOMETER READS: 100,853	462	1 each - <b>2009 FORD F150</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, TILT, P/WDW, P/LOCK s/n: 1FTRX14W59KC16368 ODOMETER READS: 100,595
444	1 each - <b>2004 NISSAN XTERRA</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK, SUNROOF s/n: 5N1MD28Y74C624485 ODOMETER READS: 177,614	453	1 each - <b>2000 FORD EXCURSION</b> SUV, 4WD, V10, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMNU43SXYEC61144 ODOMETER READS: 149,277	463	1 each - <b>2012 CHEV COLORADO</b> EXT CAB PICKUP, 4WD, 5 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (NO BACK SEAT) s/n: 1GCJTBFE5C8162478 ODOMETER READS: 105,958
445	1 each - <b>2004 CADILLAC ESCALADE</b> SUV, AWD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, SUNROOF s/n: 3GYFK66N84G329664 ODOMETER READS: 133,930	454	1 each - <b>1991 JEEP WRANGLER</b> SUV, 4WD, 4 CYL, 5 SPD, WINCH, REMOVABLE HARD TOP s/n: 2J4FY19P1MJ144346 ODOMETER READS: 163,286	464	1 each - <b>2009 CHEV COLORADO</b> EXT CAB PICKUP, 4WD, 5 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (NO BACK SEAT) s/n: 1GCDT19E398145643 ODOMETER READS: 102,077
446	1 each - <b>2003 FORD EXPEDITION</b> SUV, 4WD, V8, AUTO, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1FMPU16LX3LB79740 ODOMETER READS: 125,610	455	1 each - <b>2004 FORD EXPLORER</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FMZU72K84ZA55084 ODOMETER READS: 97,951	465	1 each - <b>2008 CHEV COLORADO</b> CREW CAB PICKUP, 4WD, 5 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCDT33E888202812 ODOMETER READS: 105,222
447	1 each - <b>2002 CHEV BLAZER</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GNNDT13W22K203758 ODOMETER READS: 97,796	456	1 each - <b>2003 GMC YUKON DENALI</b> SUV, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK, DVD PLAYER *MILEAGE WAS 218,507 ON 8/8/19 s/n: 1GKFK66U63J301117 ODOMETER READS: 172,203	466	1 each - <b>2007 CHEV COLORADO</b> EXT CAB PICKUP, 4WD, 4 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCDT199878231241 ODOMETER READS: 133,289
448	1 each - <b>2002 CHEV BLAZER</b> SUV, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GNNDT13W12K155847 ODOMETER READS: 105,496	458	1 each - <b>2011 CHEV 2500 HD</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT s/n: 1GC2KVC98Z198116 ODOMETER READS: 172,906	467	1 each - <b>2007 FORD F250</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, P/WDW, P/LOCK (NO BACK SEAT) s/n: 1FTSX21537EA52360 ODOMETER READS: 108,910

468	1 each - <b>2008 DODGE 1500</b> CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1D7HU18278J197182 ODOMETER READS: 173,453	477	1 each - <b>2005 CHEV 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT s/n: 1GCEK19T65E102707 ODOMETER READS: 261,543	486	1 each - <b>1999 FORD F350</b> CREW CAB PICKUP, 4 DR, 4WD, V10, AUTO, A/C, CRUISE, TILT, TRANSFER TANK W/PUMP s/n: 1FTSW31S1XE72878 ODOMETER READS: 215,870
469	1 each - <b>2007 CHEV SILVERADO 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, TILT s/n: 1GCEK19CX7Z588630 ODOMETER READS: 124,519	478	1 each - <b>2003 GMC 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GTEK19TX3Z302513 ODOMETER READS: 179,227	487	1 each - <b>2006 CHEV 2500 HD</b> CREW CAB PICKUP, 4 DR, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK (CHECK ENGINE LIGHT IS ON) s/n: 1GCHK23U76F158770 ODOMETER READS: 197,366
470	1 each - <b>2006 CHEV 2500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCHK29U16E244928 ODOMETER READS: 180,678	479	1 each - <b>2002 CHEV 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCEK19V12Z309270 ODOMETER READS: 40,839	489	1 each - <b>2010 FORD F150</b> EXT CAB PICKUP, V8, AUTO, A/C, TILT, P/WDW, P/LOCK s/n: 1FTFX1CV8AFB59219 ODOMETER READS: 108,497
471	1 each - <b>2006 CHEV 3500</b> CREW CAB PICKUP, AWD, DURAMAX, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 1GCJK33D96F192605 ODOMETER READS: 114,296	480	1 each - <b>2002 CHEV 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1GCEK19V42Z306847 ODOMETER READS: 64,211	490	1 each - <b>2010 FORD F150</b> PICKUP, V8, AUTO, A/C, TILT, P/WDW, P/LOCK, LIFTGATE s/n: 1FTMF1CW5AKC36896 ODOMETER READS: 49,718
472	1 each - <b>2003 CHEV 1500 SS</b> EXT CAB PICKUP, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/SEAT, P/LOCK s/n: 2GCEK19N931368576 ODOMETER READS: 171,004	481	1 each - <b>2001 GMC SONOMA</b> EXT CAB PICKUP, 4WD, 6 CYL, AUTO, A/C, CRUISE, TILT s/n: 1GTD19W518214393 ODOMETER READS: 95,163	491	1 each - <b>2009 GMC CANYON</b> PICKUP, 4 CYL, AUTO, A/C, CRUISE, TILT s/n: 1GTCS149298127675 ODOMETER READS: 205,148
473	1 each - <b>2005 FORD RANGER</b> EXT CAB PICKUP, 4WD, 6 CYL, AUTO, A/C s/n: 1FTZR45E15PA92064 ODOMETER READS: 64,326	482	1 each - <b>2001 DODGE 2500</b> PICKUP, 4WD, V8, AUTO, A/C, WINCH s/n: 3B7KF26W31M258588 ODOMETER READS: 94,343	492	1 each - <b>2007 FORD F250</b> EXT CAB, POWER STROKE, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTSX20P57EA81281 ODOMETER READS: 200,258
474	1 each - <b>2004 CHEV COLORADO</b> EXT CAB PICKUP, 4WD, 5 CYL, AUTO, A/C, CRUISE, TILT (NO BACK SEAT) s/n: 1GCDD196348190535 ODOMETER READS: 164,341	483	1 each - <b>2001 FORD F350</b> CREW CAB DRW PICKUP, 4WD, V10, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTWW33S11EA70344 ODOMETER READS: 127,409	493	1 each - <b>2006 FORD F250</b> PICKUP, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 1FTNF20536EA03241 ODOMETER READS: 171,825
475	1 each - <b>2006 FORD F150</b> EXT CAB, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK (TRANS PROBLEM) s/n: 1FTRX14W46FB02155 ODOMETER READS: 217,579	484	1 each - <b>2000 CHEV 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, TILT, TRANSFER TANK & PUMP s/n: 1GCEK19V4YZ315394 ODOMETER READS: 120,452	494	1 each - <b>2005 CHEV 2500</b> PICKUP, V8, AUTO, A/C, TILT s/n: 1GCGC24U05E253896 ODOMETER READS: 114,784
476	1 each - <b>2005 FORD F150</b> CREW CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/SEAT, P/LOCK s/n: 1FTPW14585KE93303 ODOMETER READS: 239,347	485	1 each - <b>1995 CHEV 1500</b> EXT CAB PICKUP, 4WD, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 2GCEK19K0S1128918 ODOMETER READS: 147,434	495	1 each - <b>2005 CHEV SILVERADO 1500</b> CREW CAB PICKUP, V8, AUTO, A/C, CRUISE, TILT, P/WDW, P/LOCK s/n: 2GCEC13T651254297 ODOMETER READS: 116,226

496	1 each - <b>2003 CHEV 2500</b> PICKUP V8, AUTO, TILT, LIFTGATE s/n: 1GCGC24U93Z246365 ODOMETER READS: 105,019	509	1 each - <b>1989 CHEV S10</b> PICKUP, 6 CYL, AUTO (RUNS & DRIVES, ELECTRICAL PROBLEM, NO TAILGATE) s/n: 1GCCS14Z4K8224365 ODOMETER READS: 113,034	521	1 each - <b>2009 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK (PSE DISCLOSURE, TRANSMISSION PROBLEM) s/n: 1GCGG25C191126321 ODOMETER READS: 113,658
497	1 each - <b>2003 FORD F150</b> EXT CAB PICKUP, 6 CYL, AUTO, A/C, CRUISE, TILT s/n: 2FTRX17213CA37832 ODOMETER READS: 107,657	510	1 each - <b>1992 FORD RANGER</b> PICKUP, 4 CYL, AUTO s/n: 1FTCR10A2NUC72017 ODOMETER READS: 59,684	522	1 each - <b>2007 CHEV 3500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCHG39U571109662 ODOMETER READS: 126,702
498	1 each - <b>2002 DODGE 2500</b> PICKUP, V8, AUTO, LIFTGATE s/n: 3B7KC26Z42M308094 ODOMETER READS: 93,412	511	1 each - <b>1995 CHEV 1500</b> PICKUP, V8, AUTO, A/C s/n: 1GCEC14H6SE239433 ODOMETER READS: 78,107	523	1 each - <b>2006 FORD E250</b> CARGO VAN, V8, AUTO, A/C, TILT, P/PWDW, P/LOCK (PSE DISCLOSURE, BLOWN HEAD GASKET) s/n: 1FTNE24WX6DA62024 ODOMETER READS: 143,359
499	1 each - <b>2001 DODGE 2500</b> PICKUP, V8, AUTO, A/C s/n: 3B7KC26Z51M582127 ODOMETER READS: 165,165	512	1 each - <b>1997 FORD F250</b> PICKUP, V8, AUTO s/n: 1FTFF27L4VVKC40703 ODOMETER READS: 185,108	524	1 each - <b>2004 CHEV 1500 EXPRESS</b> CARGO VAN, 6 CYL, AUTO, A/C s/n: 1GCFG15X341236515 ODOMETER READS: 199,853
500	1 each - <b>2000 FORD F250</b> EXT CAB PICKUP, V8, AUTO, A/C (NO BACK SEAT) s/n: 1FTNX20L7YEB07021 ODOMETER READS: 98,135	513	1 each - <b>1996 FORD F250</b> PICKUP, V8, AUTO s/n: 2FTEF25N7TCA71438 ODOMETER READS: 90,372	525	1 each - <b>2004 CHEV 2500</b> CARGO VAN, V8, AUTO, A/C s/n: 1GCGG25V141179272 ODOMETER READS: 267,236
501	1 each - <b>1998 DODGE 2500</b> EXT CAB PICKUP, V8, AUTO, A/C, CRUISE, TILT s/n: 1B7KC23Z4WJ223313 ODOMETER READS: 173,326	514	1 each - <b>2002 CHEV 1500</b> EXT CAB PICKUP, V8, AUTO, A/C, TILT s/n: 2GCEC19V421323752 ODOMETER READS: 108,102	526	1 each - <b>2002 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C s/n: 1GCGG25R021140124 ODOMETER READS: 148,245
505	1 each - <b>1997 CHEV S10</b> PICKUP, 6 CYL, AUTO s/n: 1GCCS19X9VK184041 ODOMETER READS: 29,634	517	1 each - <b>2011 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C, TILT, P/PWDW, P/LOCK s/n: 1GCWGFCA9B1157567 ODOMETER READS: 116,601	527	1 each - <b>2001 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO s/n: 1GCGG25R511229556 ODOMETER READS: 49,144
506	1 each - <b>1997 CHEV S10</b> EXT CAB PICKUP, 6 CYL, AUTO s/n: 1GCCS19X1VK182493 ODOMETER READS: 48,684	518	1 each - <b>2010 CHEV 2500 EXPRESS</b> PASSENGER VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GNZGPDG3A1154272 ODOMETER READS: 102,668	528	1 each - <b>2000 FORD E250</b> CARGO VAN, V8, AUTO, A/C s/n: 1FTNE24L9YHB98808 ODOMETER READS: 160,614
507	1 each - <b>1997 CHEV S10</b> EXT CAB PICKUP, 6 CYL, AUTO s/n: 1GCCS19XXV8171473 ODOMETER READS: 100,880	519	1 each - <b>2009 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCGG25C891128727 ODOMETER READS: 113,412	529	1 each - <b>1994 GMC 1500 VANDORA</b> CARGO VAN, 6 CYL, AUTO s/n: 1GTDG15Z8RF518250 ODOMETER READS: 63,615
508	1 each - <b>1997 CHEV S10</b> EXT CAB PICKUP, 6 CYL, 5 SPD, A/C, CRUISE, TILT s/n: 1GCCS19X3VK114373 ODOMETER READS: 95,947	520	1 each - <b>2012 CHEV 2500 EXPRESS</b> CARGO VAN, V8, AUTO, A/C, CRUISE, TILT, P/PWDW, P/LOCK s/n: 1GCWGGCA0C1127848 ODOMETER READS: 168,270	530	1 each - <b>1992 CHEV 10</b> 6 CYL, AUTO s/n: 2GCDG15Z9N4143971 ODOMETER READS: 72,508

- 531 1 each -  
**2005 CHEV  
ASTRO**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK (TRANSIT AGENCY  
DISCLOSURE: BAD TRANS & HEAD,  
NO BACK SEATS)  
s/n: 1GDNM19X35B126044  
ODOMETER READS: 154,229
- 
- 534 1 each -  
**2010 CHEV 3500  
EXPRESS**  
12-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2GYDGXA1107250  
ODOMETER READS: 127,904
- 
- 535 1 each -  
**2010 CHEV 3500  
EXPRESS**  
12-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2GYDG2A1106657  
ODOMETER READS: 133,567
- 
- 536 1 each -  
**2010 CHEV 3500  
EXPRESS**  
12-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2GYDG5A1109908  
ODOMETER READS: 141,813
- 
- 537 1 each -  
**2010 CHEV 3500  
EXPRESS**  
15-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2G1DGXA1107062  
ODOMETER READS: 147,525
- 
- 538 1 each -  
**2010 CHEV 3500  
EXPRESS**  
12-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2GYDG5A1107267  
ODOMETER READS: 148,107
- 
- 539 1 each -  
**2010 CHEV 3500  
EXPRESS**  
15-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2G1DG5A1107163  
ODOMETER READS: 149,771
- 
- 540 1 each -  
**2010 CHEV 3500  
EXPRESS**  
12-PASSENGER VAN, V8, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GA2GYDG9A1110981  
ODOMETER READS: 103,715
- 
- 541 1 each -  
**2008 CHEV 3500  
EXPRESS**  
PASSENGER, V8, AUTO, A/C,  
CRUISE, TILT, P/WDW, P/LOCK  
\*\*LOW COMPRESSION NO. 5  
CYLINDER\*\*  
s/n: 1GAHG39KX81183846  
ODOMETER READS: 150,179
- 
- 542 1 each -  
**2008 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
s/n: 1GNDV23W18D162164  
ODOMETER READS: 116,392
- 
- 543 1 each -  
**2008 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
s/n: 1GNDV23W38D162344  
ODOMETER READS: 152,726
- 
- 544 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
(TRANSIT AGENCY DISCLOSURE:  
LOW COMPRESSION)  
s/n: 1GNDV33107D217907  
ODOMETER READS: 125,083
- 
- 545 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
(TRANSIT AGENCY DISCLOSURE:  
BAD TRANS SHIFTING)  
s/n: 1GNDV33197D217016  
ODOMETER READS: 138,575
- 
- 546 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
(TRANSIT AGENCY DISCLOSURE:  
TRANS SHIFT ISSUE)  
s/n: 1GNDV33167D217877  
ODOMETER READS: 147,233
- 
- 547 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
(TRANSIT AGENCY DISCLOSURE:  
RUNS ROUGH)  
s/n: 1GNDV33107D192393  
ODOMETER READS: 152,335
- 
- 548 1 each -  
**2003 CHEV  
ASTRO**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GDNM19X73B135276  
ODOMETER READS: 127,964
- 
- 549 1 each -  
**2005 CHEV  
ASTRO**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GNDM19X65B126605  
ODOMETER READS: 111,747
- 
- 550 1 each -  
**2013 CHRYSLER TOWN &  
COUNTRY**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
s/n: 2C4RC1BG5DR656933  
ODOMETER READS: 160,845
- 
- 551 1 each -  
**2008 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
s/n: 1GNDV23W18D181619  
ODOMETER READS: 41,641
- 
- 552 1 each -  
**2006 CHEV UPLANDER LS**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1GNDV23126D236646  
ODOMETER READS: 32,385
- 
- 553 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK  
\*\*TITLE BRANDED, FORMER FOR  
HIRE\*\*  
s/n: 1GNDV23187D136230  
ODOMETER READS: 193,595
- 
- 554 1 each -  
**2007 CHEV  
UPLANDER**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/SEAT, P/LOCK (COOLING  
SYSTEM CONTAMINATION)  
s/n: 1GNDV33167D179597  
ODOMETER READS: 96,012
- 
- 555 1 each -  
**2006 DODGE GRAND  
CARAVAN**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1D8GP24RX6B637846  
ODOMETER READS: 72,888
- 
- 556 1 each -  
**2005 DODGE GRAND  
CARAVAN**  
PASSENGER VAN, 6 CYL, AUTO,  
A/C, CRUISE, TILT, P/WDW,  
P/LOCK  
s/n: 1D8GP24R65B121157  
ODOMETER READS: 70,551
- 
- 557 1 each -  
**1995 FORD  
E150**  
PASSENGER VAN, V8, AUTO,  
s/n: 1FMEE11N9SHB40586  
ODOMETER READS: 144,695
-